BRAIN RESEARCH

INTERNATIONAL MULTIDISCIPLINARY JOURNAL DEVOTED TO FUNDAMENTAL RESEARCH IN THE **BRAIN SCIENCES**

CUMULATIVE SUBJECT INDEX

Volumes 139–159 (1978)

MAY 19 7 14 AM '81
UNIVERSITY OF HAWAII LIBRARY

PERIODICAL
QP376
A1B73
Subject Index
v. 139–159
[redacted]
U.H. LIBRARY

ELSEVIER/NORTH-HOLLAND

EDITOR-IN-CHIEF – D.P. PURPURA

ISSN 0 006–8993

SCOPE AND PURPOSE

BRAIN RESEARCH provides a medium for prompt publication of articles in the fields of neuroanatomy neurochemistry, neurophysiology, neuroendocrinology, neuropharmacology, neurocommunications, behavioural sciences, molecular neurology and biocybernetics. Clinical studies that are of fundamental importance and have a direct bearing on the knowledge of the structure and function of the brain, the spinal cord, and the peripheral nerves will also be published.

TYPE OF PAPERS

1. **Full-length papers** reporting results of original fundamental research in any branch in the brain sciences. It is expected that these papers will be published about six months after receipt.
2. **Short Communications** reporting on research which has progressed to the stage when it is considered that the results should be made known quickly to other workers in the field. The maximum length allowed will be 1500 words or equivalent space in tables and illustrations. It is expected that short communications will be published about three months after receipt.
3. **Review articles.** A supplementary volume entitled Brain Research Reviews will be published quarterly which will be devoted to Review articles and occasionally long research papers with extensive review components, giving a survey, an evaluating and critical interpretation of recent research data and conceptions in a particular field of brain research or on a specific problem or topic of interest to workers in the brain sciences.
4. **Announcements.**

INSTRUCTIONS TO AUTHORS

Manuscripts should be submitted *in quadruplicate* and complete in all respects (including four copies of all illustrations), and deal with original research not previously published, or being considered for publication elsewhere,

Full length papers, short communications and review articles should be sent to:

Professor Dr. D. P. PURPURA
Rose F. Kennedy Center for Research in
Mental Retardation and Human Development
Albert Einstein College of Medicine
1410 Pelham Parkway South
Bronx, New York 10461—U.S.A.

Page charge For full-length papers longer than 16 printed pages a charge of $ 60.00 will be levied for each page in excess of 16. Upon receipt of each typescript of a full-length paper its size in printed pages is estimated by the Publisher. If the estimate is higher than 16 printed pages, the authors are advised that they may expect a page charge, the exact amount of which is fixed after the definite length of their paper is known.

As an approximate guide to authors for judging the length of their paper, the following estimations may be used:

2 type-written pages	= 1 printed page
2 'average' figures + legends	= 1 printed page
3 'average' tables	= 1 printed page
25 references	= 1 printed page

Manuscripts. Manuscripts should be written preferably in English and be accompanied by a list of 6–8 **key words** and a **summary** of about 200 words for **Research Reports** and 50–70 words for **Short Communications**, on a separate page. French and German articles are also acceptable if accompanied by an English summary. Manuscripts must be submitted in four copies in **double-spaced** typing with at least a 4 cm margin on pages of uniform size.

As a rule full length papers and review articles should be **divided into sections** headed by a caption (e.g. introduction, materials, methods, experimental, results, discussion, acknowledgements, etc.).

Authors' full names, academic or professional affiliations, and **complete addresses** should be included on a separate title page. The name and address of the author to whom proofs and correspondence are to be sent should be given.

Literature references. Citation of literature reference in the text should be given at the appropriate places by numbers as superscripts without parentheses. All references cited in the text should be listed at the end of the paper on a separate page (also double-spaced) arranged in alphabetical order of first author and numbered consecutively. All items in the list of references should be cited in the text and, conversely, all references cited in the text must be presented in the list.

Literature references must be complete, including initials of the authors cited, title of paper referred to, abbreviated title, volume, year, and first and last page numbers of the article in a periodical. The abbreviations of journal titles should conform to those adopted by World Medical Periodicals, 3rd edition 1961. (See example 2 below.)

(continued on inside back cover)

Subscription price: Dfl. 3680.00 (postage and handling costs included) or U.S. $ 1795.25. The guilder price is definitive.

BRAIN RESEARCH

SUBJECT INDEX
VOLUMES 139–159 (1978)

Digitized by the Internet Archive
in 2026

https://archive.org/details/brain-research-brain-research-protocols_1978_139-159_index

BRAIN RESEARCH

INTERNATIONAL MULTIDISCIPLINARY JOURNAL DEVOTED TO FUNDAMENTAL RESEARCH IN THE BRAIN SCIENCES

EDITORIAL BOARD

W. R. Adey (Loma Linda, Calif.)
G. K. Aghajanian (New Haven, Conn.)
B. W. Agranoff (Ann Arbor, Mich.)
K. Akert (Zurich)
P. Andersen (Oslo)
R. Balázs (London)
G. Barthoiini (Paris)
M. V. L. Bennett (Bronx, N.Y.)
A. Björklund (Lund)
T. W. Blackstad (Oslo)
F. E. Bloom (San Diego, Calif.)
M. Brightman (Bethesda, Md.)
J. Bureš (Prague)
P. Buser (Paris)
B. Cohen (New York, N.Y.)
W. M. Cowan (St. Louis, Mo.)
M. Cuénod (Zurich)
J. E. Desmedt (Brussels)
J. J. Dreifuss (Geneva)
B. Droz (Gif-sur-Yvette)
F. Fonnum (Kjeller)
L. B. Geffen (Bedford Park)
H. M. Gerschenfeld (Paris)
J. Glowinski (Paris)
M. H. Goldstein Jr. (Baltimore, Md.)
S. Grillner (Stockholm)
A. Hamberger (Göteborg)
K. P. Hoffmann (Ulm)
T. Hökfelt (Stockholm)
J. Hughes (London)
D. H. Ingvar (Lund)
M. Ito (Tokyo)
L. Iversen (Cambridge)
S. Iversen (Cambridge)
E. Jankowska (Göteborg)
G. A. R. Johnston (Sydney)
E. G. Jones (St. Louis, Mo.)
P. Karli (Strasbourg)
R. Katzman (Bronx, N.Y.)
J. S. Kelly (Cambridge)
W. P. C. Koella (Basel)
M. J. Kuhar (Baltimore, Md.)
H. G. J. M. Kuypers (Rotterdam)
J. LaVail (San Francisco, Calif.)
R. Levi-Montalcini (Rome)
J. Liebeskind (Los Angeles, Calif.)
H. D. Lux (Munich)
B. S. McEwen (New York, N.Y.)
E. G. McGeer (Vancouver, B.C.)
R. Y. Moore (La Jolla, Calif.)
P. Morell (Chapel Hill, N.C.)
W. T. Norton (Bronx, N.Y.)
K. H. Pfenninger (New York, N.Y.)
T. P. S. Powell (Oxford)
W. Precht (Frankfurt/Main)
D. P. Purpura (Bronx, N.Y.)
G. Raisman (London)
P. Rakic (New Haven, Conn.)
E. Roberts (Duarte, Calif.)
R. W. Ryall (Cambridge)
A. Sato (Tokyo)
R. F. Schmidt (Kiel)
J. H. Schwartz (New York, N.Y.)
S. H. Snyder (Baltimore, Md.)
C. Sotelo (Suresnes)
H. Thoenen (Munich)
R. F. Thompson (Irvine, Calif.)
S. Waxman (Palo Alto, Calif.)
V. J. Wilson (New York, N.Y.)
R. Wurtman (Cambridge, Mass.)
W. Zieglgänsberger (Munich)

SUBJECT INDEX - VOLUMES 139–159 (1978)

ELSEVIER/NORTH-HOLLAND BIOMEDICAL PRESS – AMSTERDAM

COPYRIGHT © 1980 BY ELSEVIER/NORTH-HOLLAND BIOMEDICAL PRESS, AMSTERDAM
PRINTED IN THE NETHERLANDS

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without permission in writing from the publisher.
Submission to this journal of a paper entails the author's irrevocable and exclusive authorization of the publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17, paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

© Elsevier/North-Holland Biomedical Press

ABBREVIATIONS

ACh	Acetylcholine
AChE	Acetylcholinesterase
cAMP	Cyclic adenosine monophosphate
CNS	Central nervous system
CSF	Cerebrospinal fluid
DA	Dopamine
DNA	Deoxyribosenucleic acid
DOPA	Dihydroxyphenylalanine
DRL	Differential reinforcement of low rate
GABA	γ-Aminobutyric acid
GAD	Glutamate decarboxylase
cGMP	Cyclic guanosine monophosphate
HRP	Horseradish peroxidase
5-HT	5-Hydroxytryptamine (Serotonin)
LH	Luteinizing hormone
LH-RH	Luteinizing hormone-releasing hormone
LSD	Lysergic acid diethylamide
MAO	Monoamine oxidase
α-MSH	Melanocyte-stimulating hormone
n.	Nucleus or nuclei
NA	Noradrenaline (Norepinephrine)
NGF	Nerve growth factor
6-OHDA	6-Hydroxydopamine
OVLT	Organum vasculosum laminae terminalis
PG(E)	Prostaglandin (E)
PNMT	Phenylethanolamine-N-methyl transferase
REM	Rapid eye movement sleep
RNA	Ribosenucleic acid
SMI	Primary somatosensory cortex (face region)
SWS	Slow wave sleep
TRH	Thyrotropin releasing hormone

© Elsevier/North-Holland Biomedical Press

SUBJECT INDEX

A

A5, forebrain catecholamine projection, **154**, 128
A10, lesion-induced locomotor activity, **141**, 267
Abducens n.
  neurons in, **148**, 181
  projections from to oculomotor n., **145**, 277
  vestibular nystagmus and, **144**, 389
Accessory optic tract, mossy fiber input from to flocculus, **151**, 175
Accommodation, of eye, cerebellar control of, **153**, 495
Acetylcholine
  absence of in carotid sinus nerve, **140**, 374
  distribution of, **153**, 295
  effects of morphine on turnover of, **147**, 194
  effects of on input resistance of cortical neurons, **158**, 373
  effects of on interpeduncular neuronal activity, **144**, 404
  effects of on neuronal activity, **150**, 205
  effects of on preoptic neurons, **154**, 172
  effects of on supraoptic neurons, **154**, 159
  inhibition by in cochlea, **159**, 440
  in projections from the habenula, **149**, 413
  in superior cervical ganglion, **151**, 443
  neurons
    effect of striated muscle on development of, **159**, 379
    interaction of with serotoninergic neurons, **151**, 73
  projection from diagonal band, **156**, 329
  receptor
    α-bungarotoxin-binding, **148**, 105
    correlation of density of with miniature end plate potential amplitude, **142**, 368
    in Aplysia, **156**, 387
    in ciliary ganglion, **153**, 87
    in denervated diaphragm, **153**, 539
    in striatum, **152**, 620
    muscarinic
      characterization of, **144**, 31
      effects of denervation on binding on, **143**, 573
      in kindling model of epilepsy, **154**, 415
      in retina, **148**, 493
      interaction of phencyclidines with, **152**, 176
      ontogenesis of, **155**, 368
      regional distribution of, **154**, 13
    nicotinic, **154**, 83
  release
    effect of α-latrotoxin on, **139**, 190
    vesicular fusion during, **154**, 409
  synapses
    effects on of Ruthenium red, **152**, 633
    formation of on adrenal chromaffin cells, **152**, 334
    ultrastructure of, **148**, 197
  synthesis
    effect of choline acetyltransferase inhibitor on, **150**, 277
    ontogeny of during development of Xenopus retina, **140**, 368
  system, in retina, **148**, 85
  turnover
    in thiamine-depleted superior cervical ganglion, **151**, 609
    modulation of in septal-hippocampal pathway, **150**, 333
Acetylcholinesterase
  activity of in motoneurons, **141**, 325
  distribution of, **153**, 295
  effects of inhibitors of, **157**, 186
  in optic tectum, **157**, 182
  ontogenesis of, **155**, 368
3-Acetylpyridine
  effects of on cerebellar taurine levels, **156**, 202
  susceptibility of inferior olive neurons to, **153**, 194
N-Acetyltransferase, pineal, circadian rhythm in activity of, **139**, 374
Acoustic stimulation, effects of in anteroventral cochlear n., **146**, 373
Action potential, development of in vitro, **143**, 349
Actin, in neuroblastoma cells, **155**, 229
Adenosine
  effect of on astrocyte chloride uptake, **154**, 196
  synergistic action of with NA, **147**, 396
Adenylate cyclase
  dopamine sensitive, **155**, 391
  dopamine stimulation of, **152**, 396
  effects of viper venom on, **144**, 194
  hypothalamic, sexual dimorphism in, **151**, 615
  in limbic cortex, stimulation by serotonin, **153**, 636
  PGE_2-sensitive, effect of morphine on, **150**, 441
  stimulation of, **154**, 404
Adrenal medulla, NGF-mediated induction of tyrosine hydroxylase in, **140**, 385
Adrenergic axons, regeneration of, **141**, 21

Adrenergic innervation, of hypothalamus, **151**, 165
Adrenergic receptors
binding studies of, **159**, 125
in cerebral cortex, **157**, 391
in control of oxytocin release, **142**, 69
mapping of, **150**, 377
Adrenergic terminals
development of, **158**, 259
in superior cervical ganglion, **148**, 469
Adrenocorticotrophin
analogs, effects of on conversion of tyrosine to catecholamines, **139**, 131
in corticotrophs, **157**, 385
Afterhyperpolarization, saturating summation of, **146**, 69
Ageing
cyclic nucleotide accumulation in brain with, **139**, 169
effects of on cytochrome a,a_3 redox levels, **146**, 109
impaired hippocampal synaptic potentiation in, **150**, 85
L-Alanine, uptake of, **152**, 105
Aldosterone, neurons concentrating, **147**, 154
Alpha-fetoprotein, intracellular localization of, **142**, 182
Alzheimer's disease
neurochemical alterations in, **159**, 477
paired helical filaments of, **142**, 321
Ambystoma mexicanum, Mauthner cell regulation in, **153**, 135
Aminergic drugs, effects of on thresholds in hypothalamus, **151**, 533
Amino acid
excitatory, action of D-α-aminoadipate on thalamic receptors for, **149**, 541
incorporation, in spinal cord and brain, effects of sciatic nerve lesions, **139**, 249
D-α-aminoadipate
action of on thalamic excitatory amino acid receptors, **149**, 541
antagonism by of synaptic excitation, **152**, 603
effect of in spinal cord, **148**, 536; **148**, 543
6-Aminonicotinamide, induction of paralysis by, **140**, 89
Aminooxyacetic acid, effect of on penicillin seizures, **157**, 311
4-Aminopyridine, effects of on neuromuscular transmission, **153**, 307
Amnesia
diethyldithiocarbamate-induced, NA attenuation of, **149**, 155
effect of tyrosine on, **139**, 384
substance P induction of, **159**, 468
Amnesic potency, of L-proline, **156**, 265
Amphetamine
alterations in activity in neostriatum induced by, **150**, 353
anorexia induction by, **143**, 580
effect of on gamma efferent activity, **143**, 387
facilitation of self-stimulation by, **145**, 37
halogenated, effects of on serotoninergic B9 cells, **146**, 188
hyperactivity induced by, effects of 5-HT on, **143**, 373
increased cerebral blood flow with, **149**, 165
rotation induced by, correlation with nocturnal rotation, **150**, 149
Ampullary receptors, effect of electric organ discharge on, **145**, 85
Amygdala
effects of cycloheximide in, **158**, 171
effects of opiates on, **153**, 211
effects of stimulation of on LH release, **144**, 95
effects of stimulation of on preoptic neurons, **142**, 363
enkephalin in efferents in stria terminalis, **149**, 223
influence of on sensorimotor neurons, **158**, 223
masticatory rhythm in trigeminal motoneurons after stimulation of, **148**, 504
projections to from solitary tract n., **153**, 1
tyrosine hydroxylase in during kindling stimulation, **153**, 423
Analgesia
catecholamine n. stimulated induction of, **152**, 529
environmentally induced, **155**, 69
from brain stem stimulation, **143**, 521
receptor populations in spinal cord during, **148**, 516
Analgesic electrical stimulation, of n. raphe neurons, **146**, 404
Androgen
effects of on GABAergic systems, **155**, 27
effects of on unit activity, **142**, 187
receptors, DNA-binding of in *Tfm* mutant mouse, **140**, 159
Anesthesia
active zones in spinal cord during, **159**, 247
monoamine metabolism during, **157**, 303
nitrous oxide, oxidative metabolism during, **147**, 416
Anesthetic, local, effect of on regeneration of neuromuscular junction, **149**, 89
Angiotensin
binding in midbrain, **154**, 178
effects of on preoptic neurons, **154**, 172
neurons receptive to in subfornical organ, **149**, 107
thirst induction by, **149**, 117
Angiotensinogen, distribution of, **158**, 359
Anorexia, drug-induced, effects of stress on, **143**, 580
Ansa lenticularis, substance P in, **156**, 124
Anterior colliculus, locus coeruleus and, **158**, 269
Anterior olfactory n., odor discrimination by, **142**, 123
Anterograde transport, of HRP, enhancement of by poly-L-ornithine, **150**, 170
Antidepressant, tricyclic, multiple binding sites of, **149**, 525
Antidiuresis
after hypothalamic ablation, **157**, 161

sensors for, **141**, 89
Antidromic identification, of output neurons of substantia nigra, **150**, 69
Antigen, brain-specific, in neonatal brain, **151**, 83
Antiparkinsonian drugs, effect on reserpine-induced rigidity, **140**, 177
Aplysia
cerebral ganglion of, **144**, 49
cholinergic receptor in, **156**, 387
GABA receptors in, **144**, 75
R2 neuron, propagation velocity in, **151**, 188
respiratory pumping by, **143**, 87
uptake of glycine by neurons of, **154**, 25; **154**, 41
Apomorphine
cholinergic response to, **155**, 45
effects on glucose utilization in basal ganglia, **140**, 188
inhibition of striatal DA release by, **145**, 180
Architectonics, of superior temporal sulcus, **149**, 1
Area 2, postcentral neurons in, role of in tactile form discrimination, **150**, 662
Area 18
organization of pulvinar afferents, **143**, 155
velocity characteristics of neurons in, **159**, 391
Area dentata, genetic organization in granule cell layer, **157**, 105
Area postrema, ATPase activity in, **146**, 165
Aromatic amino acid decarboxylase, in basal ganglia, **143**, 125
Aspartate
effects of on interneurons, **141**, 129
in cochlear n., **143**, 544; **158**, 295
Astrocytes (see also Glia)
effects of adenosine on, **154**, 196
enzymic properties of, **153**, 55
GABA uptake by, **153**, 623
potassium uptake in, **145**, 202
uptake of chloride in, **154**, 196
ATP
brain concentrations of in hypertension, **152**, 189
localization of, **154**, 273
ATPase
activity in area postrema, **146**, 165
brain activities of, **141**, 305
Atria, stretch of, reflex responses produced by, **150**, 519
Atropine
delta waves induced by, **143**, 475
effects of on hormone secretion, **156**, 198
Attention
dorsal noradrenergic bundle and, **150**, 135
role of NA in, **159**, 421
Auditory frequency discrimination, polysensory cortex lesions and, **148**, 499
Auditory fibers, responses of, **155**, 169
Auditory midbrain, of marsupial, **150**, 29
Auditory nerve
cochlear projections, **148**, 224
effects of lesions of on cochlear n. **143**, 544
Auditory stimulus
cortical neuronal excitability after, **156**, 162
responses of superior collicular cells to, **156**, 321
Auditory system, transneuronal transport in, **158**, 207
Axolemma, characterization of, **147**, 339
Axolotl muscle, interaction between foreign and regenerating axons in, **146**, 172
Axon, crayfish giant, trophic dependencies of, **143**, 195; **143**, 213
Axon spouting, hippocampal, **153**, 357
Axonal transport
effect of blockage of on synaptic function, **157**, 267
in sympathetic neurons, **152**, 151
nucleoside, **139**, 197
of exogenous macromolecules, **153**, 477
of glycoproteins, effect of cobalt on, **149**, 535
of NGF, **159**, 411
of protein in noradrenergic system, **150**, 55
proteins in, **144**, 287
retrograde, demonstration of HRP after, **148**, 279
study of, **153**, 121
Axoplasmic transport, in olfactory nerve, **139**, 65; **139**, 77

B

Baclofen, interaction of with GABA systems, **155**, 209
Barbiturate anesthesia, effects of on phospholipid oxidation, **158**, 423
Baroreceptor
carotid, input from to supraoptic neurons, **145**, 385
reflexes, catecholamine effects in, **151**, 323
Barrel field, cortical, catecholamine innervation of, **153**, 577
Basal ganglia (see also under specific areas)
apomorphine effects on glucose utilization in, **140**, 188
postural neuronal responses in, **143**, 325
Batrachotoxin, subarachnoid, spinal myelopathy induced by, **140**, 75
Behavior (see also Drinking, Feeding, Locomotion, etc.)
after hypothalamic lesions, **145**, 406
attack, centrally elicited, **153**, 427
avoidance
effects of antibodies to G_{M1} ganglioside on, **151**, 637
passive, extinction of, **152**, 209
contralateral turning, muscimol-evoked, **155**, 299
deficits, tests of, **143**, 299
display, effects of lesions in globus pallidus on, **149**, 175
DRL, **153**, 529
effects of intraamygdaloid opiates on, **153**, 211

effects of intranasal $ZnSO_4$ on, **140**, 271
effects of nigral injection of ethanolamine-O-sulfate on, **146**, 313
effects of striatal kainic acid injections on, **151**, 523
effects of substance P on, **158**, 474
electromagnetic muscle stretch during, **141**, 193
neuronal control of in Aplysia, **143**, 87
non-narcotic analgesia and, **155**, 69
perforant pathway neuronal transmission dependence on, **147**, 422
prey acquisition, in atectal frogs, **153**, 217
responses of to 5-hydroxytryptophan, **155**, 263
retention of new, effect of antisera to brain proteins on, **148**, 441
role of noradrenergic system in locus coeruleus in, **155**, 249
self-stimulation
amphetamine facilitation of, **145**, 37
basal ganglia and, **155**, 277
sexual
after 5,7-dihydroxytryptamine, **141**, 293
after hypothalamic lesions, **142**, 105
effects of estrogen on, **144**, 109
effects of preoptic cuts on, **150**, 569
enhancement of lordotic part of, **141**, 137
progestin binding and, **140**, 360
Benzodiazephine receptor
binding, **156**, 391
evolutionary appearance of, **141**, 342
ontogenesis of, **147**, 170
Bicarbonate, astrocyte swelling stimulation by, **154**, 196
Bicuculline, induction of epilepsy by, **157**, 295
Black widow spider venom
effect of concanavalin A on, **143**, 107
α-latrotoxin effects on release of neurotransmitters from cortex, **139**, 190
Bladder, urinary, effect of stimulation of afferents of, **156**, 375
Blood–brain barrier, osmotic opening of, **145**, 291; **150**, 653
Blood flow
cerebral, amphetamine-increased, **149**, 165
effects of propranolol on, **151**, 220
measurement of in spinal cord, **149**, 197
Blue OFF-center cells, lack of in monkey, **141**, 385
Botulinum-intoxication, HRP uptake in, **155**, 118
Brachial cord, propriospinal projections to, **158**, 203
Bradycardia, reflex, inhibition of by stimulation of motor cortex, **150**, 198
Bradykinin, interactions of with antidromic compound potentials of pituitary tract, **149**, 530
Brain stem
afferents to nuclei of, **144**, 257
analgesia from stimulation of, **143**, 521
descending pathways through, **153**, 602
effects of β-endorphin in, **153**, 403
nuclei, fibers from to cerebellum, **153**, 241
projections from Edinger–Westphal n. to, **150**, 1
Brightness, preference in hemidecorticate rats, **157**, 142
5-Bromodeoxyuridine, effects of on development of Mauthner's neuron, **150**, 543
2-Bromolysergic acid diethylamide, effect of on striatal DOPA accumulation, **142**, 505
Bulbospinal monoaminergic system, degeneration of sympathetic n. after lesions of, **139**, 153
α-Bungarotoxin
binding patterns of, **157**, 213
binding receptor, **148**, 105
CNS binding sites of, **142**, 152
effects of on cochlear cholinergic innervation, **159**, 440
hippocampal postynaptic binding of, **154**, 167
location of binding sites for, **147**, 165
receptors in ciliary ganglion, **153**, 87
sympathetic receptors for, **154**, 83
β-Bungarotoxin, neuronal degeneration induced by, **153**, 199
Burst generation, in Helisoma, **156**, 331
γ-Butyrolactone, effects of on energy metabolism, **146**, 177

C

Calcium
dependence on for stimulation-dependent neurotransmitter release depression, **155**, 192
dependence on of GABA release, **141**, 357
dependence on of release of a neurochemical messenger in Helix, **151**, 418
-dependent regulator protein, striatal, **155**, 130
effects of on habituating reflex in spinal cord, **139**, 183
in dorsal root ganglion cell action potentials, **154**, 69
release of during feeding and drinking, **154**, 421
spikes, in hippocampus, **159**, 385
Callosal connections, squint-induced modification of, **144**, 169
Capsaicin, substance P depletion through, **152**, 183
Carbachol, effects of on somatosensory evoked potentials, **140**, 182
Carbohydrate metabolism, in caudate n., **156**, 407
Carbonic anhydrase
brain activities of, **141**, 305
in Jimpy mutant, **155**, 201
Carbon monoxide hypoxia, effects of on cerebral energy metabolism, **151**, 353
Cardiac innervation, by vagus nerve, **147**, 65; **147**, 79
Cardiac sympathetic activity, atrial stretch and, **150**, 519
Cardiovascular alteration, by n. locus coeruleus, **140**, 137
Cardiovascular neurons, bulbar, clonidine-induced hypotension and, **151**, 127
Carnosine, olfactory binding of, **158**, 407
Carotid artery, ischemic effect of ligation of, **140**, 217
Carotid body, glossopharyngeal efferents to, **149**, 477
Carotid sinus nerve, transmitters in, **140**, 374

Castration
effects of on hippocampal dendritic spines, **155**, 108
effects of on neurotransmitter turnover, **146**, 95
neonatal, effect of on hypothalamic nuclear size, **156**, 146
prepuberal, effect of on hypothalamic nuclear size, **146**, 388
Catalepsy, parafascicular n. lesion-induced, **150**, 648
Catechol, actions of on synaptic transmission, **157**, 47
Catecholamines (see also under specific amines)
alterations during estrous cycle, **147**, 315
conversion of tyrosine to, **139**, 131
effect of 6-OHDA lesions on excretion of, **143**, 567
effects of hypothalamic deafferentation on content of, **148**, 121
effects of steroids on in ovariectomized rats, **154**, 345
effects of stress on, **144**, 173
forebrain projections of A5 cell group, **154**, 128
innervation, of somatosensory cortex, **153**, 577
in reward, **152**, 215
in superior cervical ganglion, **156**, 75
involvement in amphetamine-increased cerebral blood flow, **149**, 165
metabolism
circadian variation of in primate, **139**, 101
postmortem, microwave irradiation prevention of, **140**, 171
α-methyl-para-tyrosine-induced disappearance of, **143**, 561
nuclei, stimulation of, **152**, 529
synthesis, drug-induced modification of, **149**, 443
turnover, in hypothalamus, effects of hyperprolactinemia on, **156**, 241
visualization of neurons containing, **152**, 567
Catecholaminergic axons, in n. tractus solitarius, **151**, 323
Catecholaminergic cells, subependymal, **142**, 165
Catecholaminergic neurons
effects of 6-OHDA on growth of, **140**, 125
effects of NGF on, **144**, 277
Catecholaminergic system
organization of in frontal cortex, **142**, 1
role of in lordosis, **141**, 137
Categorization, effects of inferotemporal lesions on, **146**, 341
Cathepsin D, purified from calf brain, **143**, 181
Caudate n.
DA release from, **145**, 69
DA release in after cerebellar stimulation, **148**, 143
effects of DA on firing in, **156**, 168; **156**, 175
effects of stimulation on carbohydrate metabolism in, **156**, 407
nigral release of GABA after stimulation of, **154**, 395
projection from centromedian n., **146**, 145
self-stimulation behavior and, **155**, 277
subcortical afferents to, **153**, 465
synaptic modulation of thalamus from, **154**, 137
Cell death, relation with wing polyneuronal innervation, **154**, 148
Cell surface marker, **148**, 251; **148**, 260
Centrifugal modulation of mitral cell responses, **140**, 251
Centromedian n., projection to caudate n., **146**, 145
Cerebellum
AChE in, **157**, 182
adaptive modification of vestibulo-ocular reflex and, **150**, 611
antibodies to cells of, **142**, 477
cell surface components of, **148**, 269
chemical changes in during development, **159**, 351; **159**, 363
choline acetyltransferase in, **146**, 221
Concanavalin A binding glycoproteins, **142**, 301
connections from in red n., **147**, 17
control of accommodation of eye by, **153**, 495
cortico-nuclear projections of, **141**, 1
from hemispheres, **141**, 235
cultured with inferior olive, **145**, 168
cAMP in, **140**, 307
cGMP-dependent protein kinase in, **156**, 412
cGMP in, **154**, 203
developing, separation of cell types from, **148**, 313
displaced neural elements in fissures of, **148**, 15
DA release from basal ganglia after stimulation of, **148**, 143
effects of neurotransmitters in, **145**, 117
effects of undernutrition on, **157**, 202
efferent neurons of, **153**, 608
external granular layer, histogenesis of, **153**, 435
floccular input from accessory optic tract, **151**, 175
GABA in, **151**, 1; **151**, 19
gangliosides in, **157**, 136
glutamic acid in, **142**, 269
influence of on parasympathetic neurons, **156**, 269
input to from cervical n., **157**, 341
isolated molecular and granular layers of, **142**, 487
kainic acid toxicity in, **159**, 431
lateral, organization of pontine projections to, **139**, 340
levels of taurine in, **156**, 202
molecular layer, histogenesis of, **153**, 435
neurotransmitter uptake in, **153**, 618
n. interpositus, inputs onto, **156**, 355
paraflocculus, visual corticopontine input to, **143**, 139
parallel fibers in, effects of thyroid hormones on development of, **142**, 25
primary vestibular afferent projections to, **142**, 142
Purkinje cell

dendritic tree in murine mutants, **142**, 135
mechanism for type III vestibular responses of, **150**, 295
spinal projections of, **142**, 237
studies in culture, **156**, 227
synapse formation, **141**, 1
tactile areas in, **157**, 123
trigeminal inputs to, **153**, 352
vermis
effect of nitrous oxide on, **148**, 526
projections from brain stem n., **153**, 241
Cerebral asymmetry, left–right discrimination and, **140**, 194
Cerebroside, involvement in myelination, **147**, 410
Cerebrospinal fluid
cholera-toxin induced production of, **142**, 379
enkaphalin-like substance in, **151**, 399
flux of homovanillic acid in, **149**, 129
movement of materials into from extracellular space, **151**, 283
Cervical n.
central, input to cerebellum, **157**, 341
lateral, projections of, **141**, 335
Chemosensitivity, of hypophysiotropic neurons to microelectrophoresis of biogenic amines, **139**, 141
Chloralose, anesthesia with, **148**, 526
Chloride, uptake of in astrocytes, **154**, 196
Chlorimipramine, inhibition of by muricide, role of ascending 5-HT projection, **149**, 270
p-Chloroamphetamine
effect of on dopamine turnover, **149**, 453
effect of on rotation, **149**, 453
Chlorpromazine, effects of on adenylate cyclase stimulation, **152**, 396
Cholecystokinin, in CSF, **155**, 19
Cholera toxin, in induction of CSF production, **142**, 379
Cholesterol synthesis, induction of epileptiform activity by an inhibitor of, **150**, 343
Choline acetyltransferase
distribution of, **153**, 295
effects of immobilization stress on, **152**, 374
in basal ganglia, **143**, 125
in cerebellum, **146**, 221
in dentate gyrus, **142**, 174
inhibitor, effects after stimulation of neuromuscular junctions, **150**, 277
in response to sympathetic activation, **156**, 192
in spinal cord, **146**, 221
Cholinergic (see Acetylcholine)
Chorda tympani, **152**, 586
Choroid plexus, nerve endings in, **153**, 285
Chromaffin cells, in anterior eye chamber, **152**, 334
Ciliary ganglion
axonal transport in, **159**, 411
α-bungarotoxin–ACh receptors in, **153**, 87
Ciliary beating, membrane voltage noise associated with, **156**, 369
Circadian rhythm
in pineal activities, **139**, 374
of catecholamine metabolism, **139**, 101
of SWS and REM sleep, **151**, 255
Clare–Bishop area, projections to from striate cortex, **151**, 154
Clonidine, effect of on contralateral reflex, **144**, 411
Clonidine-induced hypotension, CNS site of, **151**, 127
Cobalt
effect of on axonal transport of glycoproteins and glycosylation, **149**, 535
induction of epilepsy with, **154**, 182
Cochlea
auditory nerve projections from, **148**, 224
cholinergic inhibition in, **159**, 440
Cochlear nerve, two-tone rate suppression in, **159**, 219
Cochlear n.
anteroventral, presynaptic membrane changes with acoustic stimulation, **146**, 373
effects on of auditory nerve lesion, **143**, 544
intracellular recordings in, **148**, 43
in Waltzing guinea pig, **158**, 279; **158**, 295
Coenzyme A, pineal, circadian rhythm in activity of, **139**, 374
Colchicine
binding, striatal, after kainic acid lesions, **146**, 195
effects of on hypothalamus, **153**, 99
inhibition of axonal transport by, GAD localization after, **140**, 315
intraocular, effects of on collicular MAO, **159**, 243
Commissure, projection from to dentate gyrus, **150**, 447
Concanavalin A
-binding glycoproteins, cerebellar accumulation of, **142**, 301
effect of on venom activity at neuromuscular junction, **143**, 107
Conduction
in dystrophic mice nerves, **143**, 71
velocities, of afferent input to superior colliculus, **140**, 155
Contrast sensitivity, evaluation of by evoked potentials, **141**, 179
Conus californicus, effect of venom from, **156**, 387
Corpus callosum, cells of origin of, **156**, 129
Cortex
amygdaloid, substance P in, **149**, 97
auditory
discrimination of spatial location and, **145**, 315
extrinsic connections of, **149**, 508
single unit activity in, **156**, 307
chromatin estradiol-binding in, **152**, 121
cingulate, pathway to from locus coeruleus, **154**, 61
connections from thalamic mediodorsal n., **141**, 251
coronal-pericruciate, sampling distribution of neurons in, **152**, 329
dorsal prefrontal, effects of lesions of, **152**, 313
dorsolateral prefrontal, effects of lesions of on discrimination of movement-produced cues,

149, 77
effects of ACh on neuronal activity in, **150**, 205
effects of NA on neuronal activity in, **150**, 205
effects of TRH on neuronal activity in, **150**, 205
entorhinal
learning and, **152**, 411
perforant pathway through, **147**, 422
frontal
association, effects of removal of, **152**, 451
catecholaminergic projections to, **142**, 1
dopaminergic afferents to, **142**, 249
insular, neuronal responses in, **145**, 161
inferotemporal lobe of, categorization and retrieval after lesions of, **146**, 341
intracellular recordings in, **158**, 343
lateral orbital, projections from to sensory relay n., **144**, 149
lesions of, precision grip after, **145**, 410
limbic
5-HT effects in, **153**, 636
thalamic afferents to, **145**, 225
morphological changes in, produced by superfusion of ouabain, **148**, 347
morphology of, effects of ovariectomy on, **154**, 53
motor
basal ganglia DA release after stimulation of, **145**, 69
inhibition of reflex bradycardia by stimulation of, **150**, 198
input to from posterior parietal cortex, **157**, 325; **157**, 331
multiple representation in, **154**, 366
role of in voluntary movement, **159**, 473
somatosensory information in, **156**, 364
neuronal excitability in after auditory stimulus, **156**, 162
noradrenergic innervation, **139**, 219
olfactory
depolarization of inexcitable cells in, **153**, 183
development of, **142**, 546
effects of penicillin on, **156**, 83
orbital, masticatory rhythm in trigeminal motoneurons after stimulation of, **148**, 504
parallel action of columns in, **158**, 89
parastriate, effect of monocular deprivation on, **157**, 351
parietal
activity in, **153**, 392
posterior, defects in reaching after removal of, **139**, 309
thalamic connections of, **144**, 143
peristriate, effects on of lesions of striate cortex, **151**, 386
polysensory, lesions in, auditory frequency discrimination and, **148**, 499
posterior association, single unit activity in during spatial reversal tasks, **149**, 53
posterior parietal, input from to motor cortex, **157**, 325; **157**, 331
prefrontal
effects of lesions of on non-spatial memory, **143**, 313
functional development of, **143**, 233
functions of, **145**, 147
granular, projections of, **156**, 279
lesions of, sparing of function in rats with, **151**, 135
single unit activity in during spatial reversal tasks, **149**, 53
pulvinar
responses of to multisensory stimulation, **158**, 75
visuotopic organization of, **152**, 1
role of in binaural hearing, **151**, 381
sensorimotor, effect of neurotransmitters in, **153**, 414
single unit activity in, **147**, 377; **149**, 53
somatosensory
catecholamine innervation of, **153**, 577
connections in, **141**, 160
functional organization of, **151**, 49; **151**, 61
integration within coronal region, **151**, 49
neuronal differentiation in, **150**, 467
representation of forepaw in ansate region, **151**, 61
synaptogenesis in, **150**, 467
SMI, somatotopic map, after vibrissae removal, **155**, 136
striate
connections of with prestriate cortex, **147**, 159
effects of lesions in on visual acuity, **156**, 17
effects of lesions of on peristriate cortex, **151**, 386
in *Galago senegalensis*, **144**, 383
orientation columns in, **142**, 538
projections to Clare–Bishop area, **151**, 154
response of to visual stimuli, **155**, 141
superior temporal sulcus, afferents and architectonics of, **149**, 1
thalamic projections of **154**, 359
visual
basal ganglia dopamine release after stimulation of, **145**, 69
binocular convergence to, **159**, 85
development of, **147**, 362
excitatory connections with, **153**, 150
extrinsic connections with, **149**, 508
geniculate inputs, **159**, 371
orientation anisotropy in, **149**, 229
tubulin synthesis in, **142**, 374
retinotopic, **144**, 19
visual field representation in, in newborn, **153**, 27
Cortico-caudate connections, organization of, **139**, 43
Corticofugal fibers, glutamate as neurotransmitter in, **151**, 457
Corticofugal paroxysmal discharges, development of lateral geniculate neurons after, **146**, 151
Corticopontine projection, organization of, **148**, 214
Corticospinal neurons, organization of, **143**, 393
Corticospinal projections, after pyramidotomy,

144, 155
Corticospinal tract, response to ramp stretch of muscle, **159**, 463
Corticosterone, diurnal rhythm of, **141**, 283
Corticostriate projections, **139**, 43
Corticostriatal tract, dependency of kainate-induced degeneration of neostriatal neurons on, **139**, 381
Corticothalamic projection, involving midline septum, **139**, 348
Corticotrophs, content of, **157**, 385
Crayfish, giant axons, trophic dependencies of, **143**, 195; **143**, 213
Crotalidae, infrared sensory neurons in, **142**, 338
Crustacea
leg locomotor programs, **145**, 401
membrane conductance in, **141**, 364
Cryogenic depression, reversible, **143**, 233
Culture
cortical neurons in, **149**, 279
fetal cell, induced glial differentiation in, **150**, 225
fetal mouse explants, retinotectal connection formation in, **148**, 484
hypothalamus/preoptic area LH-RH neurons in, **149**, 257
Cuneate n., comparison of with ventrobasal complex, **158**, 450
Cupular movement, response in semicircular canal, **157**, 11
Cutaneous afferents, in transmission of nociception, **152**, 358
Cutaneous sensory neurons, central responses to peripheral nerve crush, **151**, 581
Cutaneous spinal ganglion cells, topography of, **156**, 151
Cyclic AMP
in brain of ageing rats, **139**, 169
in cerebellar slices, **140**, 307
NA-stimulated accumulation of, **159**, 125
NA-stimulated formation of, **152**, 521
receptor-linked in neostriatum, **151**, 507
responses in superior cervical ganglion, **156**, 75
responses of sympathetic ganglia interneurons, **148**, 389
Cyclic GMP
disappearance of after kainic acid lesions, **154**, 203
effects of on input resistance of cortical neurons, **158**, 373
effects of α-MSH and MIF-I on, **144**, 189
effects of penicillin epilepsy on, **144**, 185
in brain of ageing rats, **139**, 169
-induced membrane potential changes, **150**, 658
Cyclic nucleotide phosphodiesterase, calcium-dependent activator protein, **139**, 378
2′,3′-Cyclic necleotide 3′-phosphohydrolase, effect of vitamin B6 deficiency on, **146**, 200
Cyclic nucleotides, role of in NGF-mediated induction of tyrosine hydroxylase, **140**, 385
Cycloheximide
effects of in amygdala, **158**, 171
effects of on 5,7-dihydroxytryptamine-induced supersensitivity, **159**, 183
effects of on visual learning, **158**, 479
Cytochrome a,a_3 redox levels, effect on of age and lung pathology, **146**, 109

D

Dark sensitivity, of retinal ganglion cells, **153**, 157
Decapitation, ischemic effect of, **140**, 217
Dehydration
effects of on vasopressin in subfornical organ, **140**, 241
firing patterns in oxytocin and vasopressin neurons, **148**, 425
Delta waves, atropine-induced, **143**, 475
Dendritic marker, HRP as, **140**, 15
Dentate gyrus
commissural projection to, **150**, 447
effects of lesions of, **153**, 627
effects of pathway from locus coeruleus on, **144**, 363
effects of serial lesions on sprouting in, **150**, 45
glutamate secretion from, **156**, 253
interactions between afferents to, **142**, 174
neuronal transmission in, **151**, 587
reinnervation of after entorhinal lesions, **149**, 216
Dentate n., spinal action of, **153**, 602
Deoxyglucose
changes in capillary uptake of during development, **151**, 619
in study of focal penicillin seizures, **150**, 487
labeling with, **158**, 129
sequential double-label method, **153**, 375
Depolarization, induction by of coated vesicles in sympathetic ganglia, **151**, 201
Diagonal band, projection from to interpeduncular n., **156**, 329
Diaminobenzidine, enzyme reactivity to, **141**, 185
α-ε-Diaminopimelic acid, effect of in spinal cord, **148**, 536; **148**, 543
Diaphragm, acetylcholine receptors in, **153**, 539
Diazepam, effects of on receptor binding, **156**, 391
7,8-Dichloro-2,3,4,5-tetrahydro-1H-2-benzazepine, **158**, 240
Diencephalon, telencephalic afferents in carp, **149**, 211
Diethyldithiocarbamate, norepinephrine attenuation of amnesia produced by, **149**, 155
Dihydroergotamine-like factor, endogenous in brain, **147**, 401
Dihydropicrotoxin binding sites, comparison with GABA receptors, **150**, 642
5,7-Dihydroxytryptamine
effect of on dopamine turnover, **149**, 453
effect of on rotational behavior, **149**, 453
effects of treatment with during development, **155**, 263
induction by of supersensitivity to 5-HT, **159**, 183
male sexual behavior after, **141**, 293
Dipsogen (see Drinking)
Discrimination, of movement-produced cues, effects of dorsolateral prefrontal cortex lesions

on, **149**, 77
Diurnal cycle (see also Circadian rhythm), hypothalamic changes during, **157**, 407
DNA
binding to of steroid receptors, **140**, 159
content of in octopus subesophageal lobe, **154**, 134
in loop-tail mutant mouse brain, **140**, 354
DOPA
decarboxylation of, **145**, 59; **152**, 369
effect of on glucose metabolism, **158**, 466
striatal accumulation of, effects of LSD and BOL on, **142**, 505
Dopamine (see also under Catecholamines)
agonists, development of responsiveness to, **150**, 216
alterations of turnover rates of, **146**, 95
effects of glutamate on release of, **157**, 391
effects of microwave fixation on levels of, **152**, 161
effects of on caudate neurons, **156**, 168; **156**, 175
6-OHDA enhancement of, **148**, 245
β-hydroxylase
diurnal rhythm of, **155**, 409
in submandibular ganglion cells, **151**, 206
hypothalamic effects of, **157**, 73
induction of muscle contractions by in Aplysia, **157**, 167
in retinal synaptosomes, **155**, 391
metabolism
effects of enkephalins on, **146**, 392
effects of nigral substance P on, **159**, 223
in CSF, **159**, 55
relationship of to kindled myoclonic seizures, **150**, 424
nerve terminals, presynaptic receptors on, **142**, 53
neurons, nigral, tyrosine hydroxylase in, **144**, 325
nigrostriatal, **152**, 555
receptors
disuse supersensitivity of, **155**, 45
effects of viper venom on, **144**, 194
limbic, effects of ergolene derivative on, **146**, 295
nigral, function of, **156**, 380
role of in substantia nigra, **145**, 180
striatal, **155**, 130
release
from basal ganglia after cortical stimulation, **145**, 69
in basal ganglia after cerebellar stimulation, **148**, 143
self-stimulation behavior and, **155**, 277
stimulation of release of by GABA, **139**, 115
synaptosomes, effect of neurotransmitter accumulation, **159**, 402
turnover
effect of *p*-chloramphetamine on, **149**, 453
effect of 5,7-dihydroxytryptamine on, **149**, 453
effect of 17β-estradiol benzoate on, **148**, 399
effect of ethynodioldiacetate on, **148**, 399
effect of prolactin on, **148**, 399
in hypophysectomized rats, **148**, 399
in ovariectomized rats, **148**, 399
uptake, in serotoninergic terminals, **147**, 29
Dopaminergic afferents, in frontal cortex, **142**, 249
Dopaminergic innervation, lesion-induced locomotor hyperactivity and, **141**, 267
Dopaminergic modulation
of DRL activity, **153**, 529
striatal, of hypothalamus, **153**, 515
Dopaminergic neurons
in output from substantia nigra, **150**, 69
mesolimbic, reversible reduction of tyrosine hydroxylase in, **149**, 141
nigral, responses of to muscimol, **154**, 401
sensitivity of to haloperidol, **157**, 396
Dopaminergic nigrostriatal bundle, in pathogenesis of altered glucose consumption, **158**, 129
Dopaminergic pathway, nigrostriatal, effects of lesion of on catecholamine excretion, **143**, 567
Dopaminergic systems
distribution of, **154**, 241
lesions of, **146**, 123
nigrostriatal, **151**, 392
substance P and, **155**, 404
Dorsal column
effects of section of on motor deficits, **146**, 279
nuclei
new terminals in the thalamus after lesions of, **155**, 362
projections of, **141**, 335
visceral afferent projections to, **150**, 408
Dorsal geniculate n., response properties of cells in, **153**, 591
Dorsal horn
cells, supraspinal inhibition of, **145**, 380
effects of opioid peptides on, **157**, 196
neurons
actions of octopamine on, **157**, 402
reduction of nociceptive responses of, **145**, 185
Dorsal noradrenergic bundle, reward and attention and, **150**, 135
Dorsal root
afferent terminals, identification of, **153**, 127
ganglion
opiate receptors in, **145**, 396
tetrodotoxin sensitivity of cells of, **154**, 69
supraspinal, projections of, **142**, 413
Drinking
angiotensin-induced, **153**, 319
dipsogenic action of tetradecapeptide renin substrate, **157**, 63
effects of hypothalamic kainic acid lesions on, **158**, 470
intracranial dipsogens, **150**, 533
release of calcium ions during, **154**, 421
Dystrophic mice, nervous conduction in, **143**, 71

E

Edinger–Westphal n., efferent projections of, **141**, 153
  to brain stem and spinal cord, **150**, 1
EEG–single unit relationships, stastical approach to, **154**, 317
Electric organ, effect of discharge from on ampullary receptors, **145**, 85
Electrochemical stimulation, of medial preoptic area, **148**, 413
Electrogenic pumping, in muscle spindle, **154**, 144
Electromotor neurons, spinal, **142**, 559
Electroretinogram, b-wave of, **154**, 388
Electrotonic connections, low sodium uncoupling of, **139**, 178
Eledoisin, dipsogenic action of, **150**, 533
Encephalitogenic properties, of oligodendrocytes, **142**, 85
Encephalopathy, experimental lead, **147**, 131
Endoneurial fluid pressure, **148**, 510
Endorphin
  distribution of, **159**, 228
  effects of on glucose utilization, **153**, 403
  in corticotrophs, **157**, 385
Energy
  metabolism
    during recovery from carbon monoxide hypoxia, **151**, 353
    effect of γ-hydroxybutyrate and γ-butyrolactone on, **146**, 177
  state, effect of carotid artery ligation on, **140**, 217
Enkephalin
  binding, fear-induced antinociception and, **141**, 371
  depressant actions of, **152**, 196
  effect of on neurotransmitter metabolism, **146**, 392
  effect of on respiratory neurons, **155**, 55
  epileptic properties of, **147**, 327
  in amygdaloid efferents in stria terminalis, **149**, 223
  in intestinal neurons, **155**, 239
  multiple membrane actions of, **154**, 153
  striate localization of, **151**, 392
  substance in CSF, **151**, 399
Enolase, forms of in brain, **150**, 117
Enteric neurons, tissue culture of, **152**, 573
Entopeduncular n.
  GABA connections of, **158**, 15
  GABAergic projection to lateral habenula, **145**, 360
  output organization of, **157**, 21
Entopeduncular units, trigeminal influences on, **141**, 211
Entorhinal area
  afferent connections to, **152**, 249
  collateral reinnervation of dentate gyrus after lesions of, **149**, 216
Environment, enriched, cerebral effects of, **153**, 563
Epilepsy
  bicuculline-induced, **157**, 295
  burst structure in foci of, **142**, 467
  cobalt-induced, GABA in, **154**, 182
  enkephalin-induced, **147**, 327
  initiation of by iron chloride, **152**, 406
  kindling model of, muscarinic receptors in, **154**, 415
  neurons of, operant control of, **151**, 269
  penicillin-induced, **144**, 185
  single unit analysis of 'mirror foci' in, **150**, 201
  statistical approach to EEG–single unit relationships in, **154**, 317
Epileptiform activity, induction of by a cholesterol synthesis inhibitor, **150**, 343
Eliptogenic slices, hippocampal, **147**, 117
Epinephrine (see also under Catecholamine)
  alteration of levels of, **144**, 415
  content of during development of hypertension, **157**, 191
  hypothalamic, **153**, 615; **155**, 387
Ergolene, derivative, effect of on limbic DA receptors, **146**, 295
Estradiol
  chromatin-binding of, **152**, 121
  effect of on DA turnover, **148**, 399
  hypothalamic nuclear retention of, **159**, 416
  intracerebral, independent masculinization by, **146**, 325
Estrogen
  effects of in ovariectomized rats, **154**, 345
  effects of on sexual behavior, **144**, 109
  effects of on thresholds in hypothalamus, **151**, 533
  effects of on unit activity, **142**, 187
  receptors, DNA-binding of, **140**, 159
  response of hypothalamic neurons to, **152**, 31
Estrous cycle
  changes in brain catecholamine content during, **147**, 315
  LH-RH and LH changes during, **148**, 413
Ethanolamine-O-sulfate
  effects of in substantia nigra, **153**, 387
  in substantia nigra, effect of on behavior, **146**, 313
Ethanolic phosphotungstic acid
  cerebellar staining with, **147**, 1
  synaptic contacts stained by, **157**, 321
Ethynodioldiacetate, effects of on DA turnover, **148**, 399
Evoked potentials
  by light, **156**, 297
  infant contrast sensitivity evaluated by, **141**, 179
  visual, hemispheric asymmetry with motor imbalance, **157**, 356
Experimental allergic encephalomyelitis, myelin-binding antibodies in, **159**, 173
Expiratory neuronal discharge, **141**, 172
Extracellular space, clearance of materials from, **151**, 283; **151**, 291
Eye
  accommodation of, cerebellar control of, **153**, 495
  chick, retinal development of explants to chorioallantoic membrane, **150**, 398
  closure

bilateral, effect of on lateral geniculate n., **143**, 147
development of lateral geniculate neurons after, **146**, 151
field, effects of lesions of, **147**, 370
-head coordination, in labyrinthine defective man, **144**, 123
movement
after stimulation of frontal oculomotor area, **149**, 295
coordination of with head movement, **153**, 39
reflexive, **146**, 23
unit discharges in oculomotor area associated with, **149**, 313
vertical, rostral mesencephalic reticular formation and, **151**, 31
Eyelid
striate response to visual stimuli through, **155**, 141
suture
effects of in lateral geniculate n., **159**, 69
effect of on X-cells, **157**, 346

F

Facial n., midbrain projections to, **145**, 355
Falling, stretch responses of triceps brachii during, **142**, 576
Fascia dentata
interlamellar inhibition in, **152**, 580
short axon molecular layer neurons in, **143**, 355
synaptic enhancement in, **157**, 277
Fasciculus gracilis, ascending pathways in, **151**, 579
Fatigued preparations, miniature end plate potentials in, **148**, 381
Feeding
centrally programmed, in Helisoma, **146**, 1
circadian rhythm of, **142**, 384
effects of hypothalamic kainic acid lesions on, **158**, 470
NA-induced, **141**, 119
release of calcium ions during, **154**, 421
Fenfluramine, anorexia induction by, **143**, 580
Ferric ion–ferrocyanide stain, of myelinated fibers, **144**, 1
Ferrous chloride, epilepsy after, **152**, 406
Fetal cells, cultured, induced glial differentiation in, **150**, 225
Fetus, radial glia in cerebrum of, **148**, 295
Flexion
forearm, response to transient disturbances during, **150**, 103
postural and kinetic coordination after cortical stimuli inducing, **149**, 25; **149**, 39
5-Fluoro-2′-deoxyuridine, blockage of depolarization-induced mitogenesis by, **151**, 545
Food reward, EEG correlates of, **154**, 105
Forelimb afferents, to hindlimb motoneurons, **139**, 21
Form discrimination, tactile, role of area 2 postcentral neurons in, **150**, 662
Frontal eye-field
effects of lesions of on visual search, **146**, 35
stimulation of, saccades induced by, **146**, 23
Fructose-1,6-biphosphatase, effects of methionine sulfoximine on activity of, **150**, 210

G

Galactocerebroside, myelin-binding antibodies and, **159**, 173
Galago senegalensis
connections of striate cortex in, **144**, 383
efferent pathways from superior colliculus in, **146**, 351
Gallus domesticus, spinal pathways in, **145**, 380
GABA
action of in sympathetic ganglia, **153**, 398
activity-dependent changes of nigral, **156**, 181
Aplysia receptors for, **144**, 75
cerebellar, **151**, 1; **151**, 19
uptake, **153**, 618
competition of analogues with, **144**, 63
effects of on membrane conductance, **141**, 364
effects of on pituitary hormone release, **155**, 35
effects of on Purkinje cells, **145**, 117
effects of on spinal neurons, **144**, 179
effects of on supraoptic neurons, **154**, 159
electrically induced release of, **141**, 357
energy use in release of, **147**, 91
in basal ganglia, **158**, 15
in cobalt-induced epilepsy, **154**, 182
-mimetic drugs, prolactin-inhibiting action of, **145**, 173
morphine-induced alterations in, **148**, 163
nigral turnover of, **155**, 147
receptors
comparison with dihydropicrotoxin binding sites, **150**, 642
effects of drugs on, **139**, 277
in peripheral nerve trunks, **156**, 187
muscimol binding associated with, **148**, 153
release
after Ruthenium red, **154**, 163
calcium-dependent, **152**, 511
from substantia nigra with basal ganglia stimulation, **154**, 395
retinal
mediation by, **145**, 97
sensitivity and, **148**, 530
sodium-dependent binding of, **152**, 614
-specific presynaptic dendrites in optic tectum, **149**, 204
stimulation of DA release by, **139**, 115
synthesis, ontogeny of during development of Xenopus retina, **140**, 368
transport of, **159**, 29
GABAergic afferents, to habenula, **152**, 609
GABAergic pathways
habenulo-raphe, **141**, 353
in basal ganglia, **152**, 487
GABAergic projection, entopeduncular-habenular, **145**, 360
GABAergic synapse

development of, **151**, 19
morphology of, **151**, 1
GABAergic systems
effects of gonadal hormones on, **155**, 27
in limbic system, **155**, 397
interaction of baclofen with, **155**, 209
GABAergic terminals, presynaptic, in substantia gelatinosa, **141**, 35
Gamma-butyrolactone, effects of on energy metabolism, **146**, 177
Gamma-hydroxybutyrate, effects of on energy metabolism, **146**, 177
Ganglion cell
death, during retinal development in explanted chick eye, **150**, 398
retinal, spectral interactions in, **150**, 239
Gangliosides
cerebellar, **157**, 136
during development, **159**, 351
G_{M_1}, antibodies to, learned avoidance response and, **151**, 637
Gangliosidosis, feline, growth processes in, **143**, 1; **143**, 13
Gastrin, in CSF, **155**, 19
Gekko gecko, tectorotundal inputs in, **147**, 353
Genetics, in organization of area dentata granule cell layer, **157**, 105
Glia (see also Astrocytes)
amino acid-evoked depolarization of, **153**, 183
continuous culture of, **155**, 418
effects of undernutrition on maturation of, **149**, 379
enzyme activities in, **141**, 305
fibrillary acidic protein, **150**, 631; **153**, 188
in pineal gland, **140**, 1
induced differentiation, from fetal cells in culture, **150**, 225
neurotransmitter uptake by, **153**, 618
5′-nucleotidase in, **158**, 247
radial, in fetal cerebrum, **148**, 295
transient populations of in telencephalon, **158**, 213
Glioblastoma, cell surface antigen-2 in, **148**, 260
Glioma
drug-induced, differentiation of, **143**, 513
substance P biosynthesis in, **147**, 405
Globus pallidus
effects of lesions in on display behavior, **149**, 175
GABA connections of, **158**, 15
nigral release of GABA after stimulation of, **154**, 395
Glossopharyngeal efferents, to carotid body, **149**, 477
Glucoprivic feeding, absence of after stress, **149**, 399
Glucose
cerebral metabolism of, **158**, 466
utilization
effects of β-endorphin on, **153**, 403
in basal ganglia, effects of apomorphine on, **140**, 188
Glutamate
accumulation of by *Helix pomatia*, **152**, 543
antagonist action of theanine, **151**, 215
as a neurotransmitter in corticofugal fibers, **151**, 457
cerebellar uptake of, **153**, 618
decarboxylase
effects of immobilization stress on, **152**, 374
in basal ganglia, **143**, 125
in n. subthalamicus, **153**, 370
localization of in neuronal somata, **140**, 315
morphine-induced alterations in, **148**, 163
striatal, **143**, 168
effects of on dopamine release, **157**, 391
effects of on interneurons, **141**, 129
effects of on sensorimotor neurons, **153**, 414
effects of treatment with on hypothalamic neurotransmitters, **153**, 549
hippocampal, **142**, 285
synthesis of, **143**, 549
in cerebellum, **142**, 269
in cochlear n., **143**, 544; **158**, 295
monosodium-L-, effects of on hormone secretion, **156**, 198
presynaptic action of, **156**, 402
release of in spinal cord, **158**, 159
role of in optic tectum, **157**, 360
secretion of in dentate gyrus, **156**, 253
transport of, **159**, 29
Glycine
effects of on spinal neurons, **144**, 179
receptors for in spinal cord, **143**, 487; **147**, 107
release of in spinal cord, **158**, 159
uptake of, **152**, 105
in Aplysia, **154**, 25; **154**, 41
Glycogen, liver, hypothalamic control of, **144**, 343
Glycolysis, in recovery from electrical pulses, **152**, 365
Glycoprotein
Concanavalin A binding, **142**, 301
effects of cobalt on axonal transport of, **149**, 535
myelin-associated, regional studies of in CNS, **149**, 251
myelin membrane surface, **159**, 234
retinal, **152**, 379
Glycosylation, effect of cobalt ions on, **149**, 535
Golgi study
meganeurites in gangliosidosis, **143**, 13
radial glia in fetal cerebrum, **148**, 295
Gonadotrophins
effects of on hypothalamic neurons, **140**, 63
effects of steroids on in ovariectomized rats, **154**, 345
release, effects of GABA on, **155**, 35
Gracile n., efferent projections of, **153**, 263
Grip, precision, after neocortical lesions, **145**, 410
Growth hormone
pulsatile release of, **148**, 240
response to stress, **148**, 129
secretory rhythms of, **151**, 413
Guanine derivatives, interaction of with NA, **155**, 187
Guanyl cyclase, activity in culture, **144**, 199
Gustatory response, enhancement of, **142**, 570

Gustatory stimuli, **143**, 263; **143**, 281

H

Habenula
- acetylcholine in projections from, **149**, 413
- fine structure of medial n., **150**, 600
- GABAergic efferents to, **152**, 609
- GABAergic projection from entopeduncular n., **145**, 360
- stimulation of, effect of on interpeduncular neuronal activity, **144**, 404
- substance P in projections from, **149**, 413

Habenulo-raphe pathway, GABAergic, **141**, 353
Habituation
- in spinal cord motoneurons, effects of magnesium on, **142**, 191
- -like decrements in transmission, in temporodentate pathways, **151**, 623

Hair cells, role of in coding sound intensity, **147**, 174
Haloperidol
- effects of on hormone secretion, **156**, 198
- effects of on neurotransmitter turnover, **146**, 95
- potentiation of catalepsy by, **150**, 648
- sensitivity of dopaminergic neurons to, **157**, 396

Hearing, binaural, role of neocortex in, **151**, 381
Helisoma
- burst generation in, **156**, 331
- centrally programmed feeding in, **146**, 1

Helix pomatia
- glutamate accumulation in, **152**, 543
- neurochemical messenger release from brain, **151**, 418

Herpes simplex virus, as a neuronal tracer, **143**, 361
Hibernation, neurohypophyseal release during, **154**, 371
Hindlimb motoneurons, forelimb afferents to, **139**, 21
Hippocampal connections, spatial discrimination and, **139**, 295
Hippocampus
- axon sprouting in, **153**, 357
- calcium spikes during intrinsic burst firing in, **159**, 385
- dendritic activity in CA1 of, **158**, 219
- dendritic spines in, endocrine effects on, **155**, 108
- effects of stimulation of on preoptic neurons, **142**, 363
- epileptogenic slices of, **147**, 117
- glutamate synthesis in, **143**, 549
- glutamic acid in, **142**, 285
- granule cell agenesis, **146**, 249
- histaminergic systems in, **150**, 638
- interaction between serotoninergic and cholinergic neurons in, **151**, 73
- neuronal excitability in after repetitive synaptic activation, **147**, 384
- non-pyramidal cell type in, **157**, 1
- noradrenergic terminals in, **145**, 190
- organization of, **153**, 627
- plasticity in, **145**, 323; **159**, 239; **159**, 458
- postsynaptic α-bungarotoxin binding in, **154**, 167
- secondary range rhythmic spiking of neurons of, **149**, 247
- synaptic potentiation processes in aged rats, **150**, 85
- unmyelinated fibers in, **144**, 11
- wheat germ agglutinin as a retrograde tracer in, **152**, 145

Histamine
- brain stem distribution of, **157**, 178
- hypersensitivity to, **156**, 275
- responses of preoptic-septal neurons to, **145**, 391

Histamine-N-methyltransferase, localization of, **141**, 375
Histaminergic neurons, connections between, **141**, 165
Histaminergic systems, hippocampal, **150**, 638
Histidine decarboxylase
- brain stem distribution of, **157**, 178
- localization of, **141**, 375

Homovanillic acid, flux of in cerebrospinal fluid, **149**, 129
Horizontal cells
- electrotonic connections between, **139**, 178
- spectral interactions in, **150**, 239

Horseradish peroxidase
- as a dendritic marker, **140**, 15
- localization of, **156**, 97
- method avoiding fixation, **142**, 551
- pressure injection of, **156**, 102

Huntington's chorea
- behavioral model for, **149**, 546
- Kainic acid-simulated, **155**, 313

γ-Hydroxybutyrate, effects of on energy metabolism, **146**, 177
6-Hydroxydopamine
- abolition of postdecapitation reflex by, **155**, 205
- antagonism of by desipramine, **153**, 615
- destruction of locus coeruleus by, **145**, 190
- effects of on growth of catecholamine neurons, **140**, 125
- effects of on neurotransmitter levels, **148**, 245
- effects of on TRH, **152**, 203
- lesions of dorsal noradrenergic bundle with, **152**, 209
- nigral lesions with, **151**, 339; **152**, 369
- nigrostriatal lesions with, effects of on catecholamine excretion, **143**, 567
- premammillary degeneration after, **157**, 129
- torticollis produced by lesions with, **149**, 488

5-Hydroxytryptamine (see Serotonin)
5-Hydroxytryptophan
- behavioral and prolactin responses to, **155**, 263
- effect of on analgesic electrical stimulation of raphe, **146**, 404

Hyperphagia, effect of hypothalamic colchicine on, **153**, 99
Hyperprolactinemia, effect of on hypothalamic

catecholamine turnover, **156**, 241
Hypertension
angiotensin binding and, **154**, 178
lactate, pyruvate, and ATP concentrations in, **152**, 189
PNMT levels and, **159**, 149
spontaneous, adrenaline content during development of, **157**, 191
Hyperthermia, morphine-induced, **145**, 127
Hypoglossal nerve
axonal transport in, **153**, 477
protein synthesis in, **141**, 67
Hypophysectomy
effect of on dopamine turnover, **148**, 399
effect of on LH-RH content, **157**, 157
Hypotension, clonidine-induced, CNS site of, **151**, 127
Hypothalamic–pituitary responses, to self-stimulation, **157**, 89
Hypothalamus
adenylate cyclase in, **151**, 615
adrenergic innervation of, **151**, 165
afferent neurons from, **157**, 364
altered glucose consumption after lesions of, **158**, 129
aminergic innervation of subependymal neurons in, **142**, 353
cAMP formation in, **152**, 521
catecholamine turnover in, **156**, 241
changes in behavior after lesions of, **145**, 406
chromatin estradiol-binding in, **152**, 121
comparison of firing patterns of neurons of, **149**, 347
connections to, sexual receptivity and, **159**, 451
control of release of pituitary hormones by, **144**, 313
cultured, LH-RH neurons in, **149**, 257
diurnal rhythm of dopamine-β-hydroxylase in, **155**, 409
DA effects in, **157**, 73
dopaminergic striatal modulation of, **153**, 515
effects of ablation of on pressor and antidiuretic response, **157**, 161
effects of acetylcholine on neuronal activity in, **150**, 205
effects of colchicine in, **153**, 99
effects of deafferentation of on catecholamine levels, **148**, 121
effects of estrogen and aminergic drugs on thresholds in, **151**, 533
effects of glutamate on neurotransmitters in, **153**, 549
effects of gonadotrophic hormones on neurons in, **140**, 63
effects of lesions in on endocrine function, **148**, 129
effects of lesions in on sexual behavior, **142**, 105
effects of limbic stimulation on, **142**, 363
effects of neonatal castration on nuclear sizes in, **156**, 146
effects of norepinephrine on neuronal activity in, **150**, 205
effects of prepuberal castration on neuronal nuclear size, **146**, 388
effects of stimulation of on prolactin release, **147**, 390
effects of TRH on neuronal activity in, **150**, 205
electrical activity in, **156**, 67
endocrine diurnal rhythms after deafferentation of, **141**, 283
epinephrine in, **153**, 615; **157**, 191
after immobilization stress, **155**, 387
estradiol retention in, **159**, 416
estrogen-responding neurons in, **152**, 31
in control of liver glycogen, **144**, 343
influence of on sensorimotor neurons, **158**, 223
kainic acid lesions of, effects of on feeding and drinking, **158**, 470
LH-RH in, **148**, 413; **157**, 233; **157**, 247
production and degradation, **139**, 89
midbrain interactions with, **153**, 427
potentiation of cardioinhibitory reflex by stimulation of, **154**, 331
projections to from retina, **144**, 378
projections to from solitary tract n., **153**, 1
projections to pulvinar-LP complex, **155**, 343
PGE in, **149**, 274
self-stimulation of after DA system lesions, **146**, 123
suprachiasmatic n., in rhythm of food intake, **142**, 384
supraoptic n., synchronous bursting discharges in, **151**, 245
time of neuron origin in, **154**, 119

I

Indomethacin, effects of on cholera-induced CSF production, **142**, 379
Inferior colliculus
afferent projections to, **145**, 209
projections to medial geniculate body, **155**, 113
tuning characteristics of neurons of, **148**, 230
Inferior mesenteric ganglion, depolarization of neurons in, **140**, 231
Inferior olive
effect of stimulation of on muscle activity, **159**, 445
in culture with cerebellum, **145**, 168
projection to from superior colliculus, **144**, 369
susceptibility of neurons in to 3-acetylpyridine, **153**, 194
Interneurons
in abducens n., **144**, 389
spinal, effects of neurotransmitters on, **141**, 129
Interpeduncular neuronal activity, neurotransmitter effects on, **144**, 404
Interpeduncular n.
projection from diagonal band to, **156**, 329
serotoninergic terminals in, **149**, 482
Interpositus n.
activity in during movement, **152**, 41; **152**, 65

effects of lesions in on rubral activity, **152**, 353
Intestine, origins of parasympathetic preganglionic fibers to, **151**, 571
Intracellular recording, of lateral geniculate neurons, **139**, 35
Intracellular staining
double, **144**, 164
of lateral geniculate neurons, **139**, 35
Intraocular muscles, parasympathetic innervation of, **156**, 269
Ischemia, **140**, 217
effects of on phospholipid oxidation, **158**, 423
influence of on monoamine metabolism, **157**, 303
Isoleucine, beneficial effect of in phenylketonuria, **154**, 191
Isthmo-optic n., connections of, **145**, 239

J

Jimpy mutant
carbonic anhydrase in, **155**, 201
protein distribution in microsomal and myelin fractions from, **150**, 307
spinal neuron characteristics in, **151**, 225
Junctional complexes, between spinal cord ependymal cells, **143**, 27; **143**, 43

K

Kainic acid
consequence of intrastriatal injections of, **151**, 523
disappearance of cGMP after, **154**, 203
effects of on hippocampal histaminergic systems, **150**, 638
effects of on striatal cholinergic receptors, **152**, 620
effects of striatal lesions with, **152**, 626
histological studies of lesions induced by, **149**, 489
hypothalamic lesions with, **158**, 470
-induced degeneration of neostriatal neurons, **139**, 381
in localization of receptor-linked cAMP systems, **151**, 507
in simulation of Huntington's chorea, **155**, 313
lesions of striatum with, **139**, 381; **148**, 219; **152**, 626
receptors after, **140**, 340
resultant effects on learning and memory, **149**, 546
toxicity of in cerebellum, **159**, 431
use of in localization of enzymes in substantia nigra, **149**, 431
use of in localization of PGE_2-sensitive adenylate cyclase, **150**, 441
Kindling
during focal penicillin seizures, **150**, 503
tyrosine hydroxylase activity during, **153**, 423
Kinetic coordination, after cortical stimuli inducing flexion movements, **149**, 25

L

Labyrinth
of *Opsanus tau*, activity of afferents from, **150**, 182
role of in eye–head coordination, **144**, 123
Lactate
brain concentration of in hypertension, **152**, 189
changes in capillary uptake during development, **151**, 619
Lamprey
oculomotoneurons in, **154**, 123
metamorphosis in, trigeminal motor nucleus and, **140**, 33
Laser
for stimulating spinal neuron receptive fields, **152**, 348
microbeam irradiation, neurite regeneration after, **148**, 478
Lateral geniculate n.
abnormal development of neurons in, **146**, 151
dorsal, corticofugal pathway to, **151**, 457
effect of bilateral eye closure, **143**, 147
intracellular recording from, **139**, 35
receptive field development of, **159**, 69
response to retinal stimulation, **152**, 81
retinal projections to, **142**, 343
subcortical axon collaterals of cells of, **156**, 106
transneuronal excitation of, **158**, 107
visual and electrical response properties in, **153**, 591
X-cells in, **157**, 346
Lateral hypothalamic syndrome, changed cortical activation and, **151**, 632
α-Latrotoxin, effect of on release of ACh and NA from cortex, **139**, 190
Lead
experimental encephalopathy with, **147**, 131
subcellular mechanisms of neurotoxicity of, **148**, 451
Learning
effects of striatal kainic acid lesions on, **149**, 546
entorhinal cortex and, **152**, 411
of motor tasks, **147**, 377
of visual search task, **147**, 370
visual, effects of cycloheximide on, **158**, 479
Left–right discrimination, cerebral asymmetry and, **140**, 194
Leucine, incorporation of into proteins of synaptic membranes, **147**, 201
Light-evoked potentials, **156**, 297
Limbic systems (see also under specific areas of system)
GABAergic systems in, **155**, 397
-hypothalamic system, influence of in sleep, **151**, 255
neuronal plasticity in, **145**, 323; **156**, 293
opiate receptor binding in, **155**, 374
Lipid, accumulation of in axotomized vagal neurons, **140**, 349
Lithium chloride, effects of, **152**, 97
Lizard

thalamic visual n. in, **149**, 469
type I and II, retinal projections of, **142**, 401
Locomotion (see also Behavior)
basal leg muscle programs in Crustacea, **145**, 401
effects of serotonin on, **143**, 373
hyperactivity, lesion-induced, **141**, 267
mononeuron excitation in, **143**, 533
'fictive', phasic gain control in, **149**, 503
influence of brain damage on, **150**, 559
initiation of swing phase of, **146**, 269
spinal pattern generators for, **150**, 625; **155**, 182
Locus coeruleus n.
cardiovasculur alteration by, in hypertension, **140**, 137
diurnal rhythm of dopamine-β-hydroxylase in, **155**, 409
effects of pathway from on dentate gyrus, **144**, 363
hippocampal effects of destruction of, **145**, 190
5-HT nerve terminals in, **145**, 1
innervation of peripheral tissue grafts by, **139**, 233
iontophoresis of neurotensin in, **150**, 431
NA metabolite release after stimulation of, **141**, 380
noradrenergic pathway from to cingulate cortex, **154**, 61
projections from, **145**, 257
to spinal ventral columns, **148**, 207
role of in collicular transmission, **158**, 269
role of noradrenergic system in, **155**, 249
self-stimulation of after DA system lesions, **146**, 123
Loop-tail mutant mouse, **140**, 354
Lordosis, enhancement of, **141**, 137
Lung pathology, effect of on cytochrome a,a_3 redox levels, **146**, 109
Luteinizing hormone
effects of amygdala stimulation on release of, **144**, 95
effects of hypothalamic deafferentation on, **148**, 121
hypothalamic control of release of, **144**, 313
releasing action on of N-methylaspartate, **158**, 461
releasing hormone
effect of hypophysectomy on, **157**, 157
hypothalamic, **157**, 233; **157**, 247
activity of in *ob/ob* mice, **146**, 385
correlation of with LH levels, **148**, 413
nerve fibers containing, **152**, 401
neurons in culture, **149**, 257
production and degradation of by hypothalamus, **139**, 89
regulation of gonadotrophin secretion by, **157**, 247
septo-epithalamo-habenular neurons containing, **151**, 183
secretion of, effect of norepinephrine on, **148**, 521
Lysergic acid diethylamide, effect of on striatal DOPA accumulation, **142**, 505

M

Magnesium
effects of on habituating reflex in spinal cord, **139**, 183
effects of on spinal cord motoneurons, **142**, 191
saline, miniature end plate potentials in, **148**, 381
Mammillary body, cells of, **158**, 189
Marsupial, auditory midbrain of, **150**, 29
Masculinization, of independent neuroendocrine systems, **146**, 325
Masticatory rhythm, in trigeminal motoneurons after stimulation of orbital cortex and amygdala, **148**, 504
Mauthner's neuron
effect of 5-bromodeoxyuridine on development of, **150**, 543
regulation of, **153**, 135
Measles, antibodies to, **152**, 133
Mechanoreceptor, pilo–Ruffini complex, **142**, 197
Medial bulboreticular aversive stimulation thresholds, effects of morphine on, **150**, 436
Medial geniculate body, projections from inferior colliculus, **155**, 113
Medial thalamic aversive stimulation thresholds, effects of morphine on, **150**, 436
Median eminence
PGE in, **149**, 274
vasopressinergic innervation of, **155**, 153
Medulla oblongata, epinephrine content in, **157**, 191
Meganeurites, fine structure of in gangliosidosis, **143**, 1
Melanocyte-stimulating hormone
effects of on cGMP levels, **144**, 189
effects of on conversion of tyrosine to catecholamines, **139**, 131
immunohistochemical localization of, **154**, 377
neurohypophyseal hormone fragment-induced release of, **149**, 516
Membrane potential changes, electrogenic mechanisms in, **150**, 658
Memory
deficiency, impaired hippocampal synaptic potentiation in, **150**, 85
disruption of by raphe stimulation, **155**, 380
effects of octapeptides on, **157**, 414
non-spatial, **143**, 313
spatial, NA and, **156**, 382
striatal kainic acid lesion effects on, **149**, 546
Mesencephalic reticular neurons, enhancement of responses of to visual stimuli, **150**, 418; **151**, 31
Metamorphosis in lamprey, organization of trigeminal motor nucleus and, **140**, 33
Methionine sulfoximine, effects of on fructose metabolism, **150**, 210
3-Methoxy-4-hydroxyphenethylene glycol, increase in after stimulation of locus coeruleus, **141**, 380
N-Methylaspartate, LH releasing action of, **158**, 461
Methylazoxymethanol acetate, effects of on Purkinje cell growth, **143**, 499

Methylphenidate
alterations in activity in neostriatum induced by, **150**, 353
anorexia induction by, **143**, 580
Microelectrophoresis of biogenic amines, chemosensitivity of hypophyseotropic neurons to, **139**, 141
Microiontophoresis, application by of gonadotrophic hormones, **140**, 63
Microperoxisomes, in CNS, **155**, 1
Microsomal fractions, protein and enzyme distribution in, **150**, 307
Microspherule immobilization of S-100 protein, **143**, 179
Microwave fixation
effects of on DA levels, **152**, 161
prevention of catecholamine metabolism postmortem by, **140**, 171
Midbrain
angiotensin binding in, **154**, 178
aversive stimulation of, **155**, 331
projections to facial n., **145**, 355
MIF-I, effects of on cGMP levels, **144**, 189
Miniature end plate potential
correlation of with ACh receptor density, **142**, 368
effects on in fatigued and high Mg^{2+} conditions, **148**, 381
Mirror foci, epileptic, single unit analysis of, **150**, 201
Mitogenic factors, stimulation of non-neuronal cells by, **159**, 195
Mitogenesis, depolarization induced, **151**, 545
Mitral cell
modulation of responses of, **140**, 251
odor discrimination by, **142**, 123
Monoamine(s)
agonists, effects of on cAMP in cerebellum, **140**, 307
antagonists, effects of on cAMP in cerebellum, **140**, 307
effects of on sexual behavior, **144**, 109
oxidase
effects of intraocular colchicine on collicular activity of, **159**, 243
effects of progesterone on activity of, **158**, 397
inhibitor, effect of on glucose metabolism, **158**, 466
Monoaminergic innervation, origin of in neocortex, **150**, 387
Morphine
analgesic action of, **148**, 163
effect of in periaqueductal gray on n. raphe magnus activity, **149**, 266
effect of on ACh turnover, **147**, 194
effect of on aversive stimulation thresholds, **150**, 436
effect of on PGE_2-sensitive adenylate cyclase, **150**, 441
effect of on skin temperature discrimination, **156**, 206
in induction of hyperthermia, **145**, 127
interaction of with 5-HT binding protein, **149**, 519
receptors for in spinal cord, **148**, 516
Motoneurons
AChE activity in fibers of, **141**, 325
cutaneous reflex pathways to, transmission in, **149**, 503
excitation of Ia during locomotion, **143**, 533
gamma efferent, effects of amphetamine on, **143**, 387
hindlimb, reflex pathways to from neck afferents, **149**, 235
lumbar, descending excitation of, **140**, 165
of Sternarchus, **142**, 559
spinal
afterhyperpolarization conductance in, **146**, 69
effects of Mg^{2+} on, **142**, 191
sprouting of, **155**, 354
sternocleidomastoid, **156**, 339
synaptic densities on, **150**, 617
thoracic, effects of central deafferentation on, **145**, 141
trapezius, **156**, 339
trigeminal, masticatory rhythm in induced by stimulation of orbital cortex and amygdala, **148**, 504
Motor deficits, comparison of fore- and hindlimb after dorsal column section, **146**, 279
Motor innervation, of soleus, effect of tenotomy on, **143**, 162
Motor responses
after stimulation of peduncle lobe in *Sepia officinalis*, **150**, 188
rapid, visual contribution to, **150**, 403
Movement
effects of prefrontal lesions on, **152**, 313
voluntary
facilitation of late reflexes in, **153**, 176
of finger, motor cortex involvement in, **159**, 473
Moving background patterns, effect of on tectal neuron responses, **151**, 599
Multiple sclerosis
antibodies associated with, **152**, 133
myelin-binding antibodies in, **159**, 173
Multiple unit recording, noise detection and reduction, **143**, 186
Muricide, chlorimipramine inhibition of, role of ascending 5-HT projections in, **149**, 270
Muscarinic actions (see also Acetylcholine), induction of membrane potential changes, **150**, 658
Muscimol
contralateral turning evoked by, **155**, 299
effects of on membrane conductance, **141**, 364
GABA receptor associated binding of, **148**, 153
response of nigral DA neurons to, **154**, 401
Muscle
contraction
DA-induced, **157**, 167
ponto-interposito-rubrospinal pathway for, **155**, 124
membrane potentiation in, effects of inactivity on, **150**, 600

spindle
afferents, role of in stretch and vibration reflexes, **146**, 366
electrogenic pumping in, **154**, 144
tone, mechanicographical recording of, **140**, 177
Myelin
-associated glycoproteins, regional study of in CNS, **149**, 251
immunogenicity of membrane surface glycoprotein of, **159**, 234
polypeptides of, **144**, 303
protein and enzyme distribution in, **150**, 307
transfer of phospholipid to from axon, **155**, 347
Myelinated fibers, staining of, **144**, 1
Myelination
cerebroside involvement, **147**, 410
effects of lipid-free medium on, **157**, 206
in tissue culture, **145**, 15
Myelinogenesis, disruption of by anti-CNS antiserum, **154**, 231
Myenteric neurons
inhibition of by somatostatin, **155**, 165
opiate withdrawal signs in, **144**, 208
Myodystrophic mice, naked axons in, **146**, 380

N

NADPH, levels of in dentate gyrus, **156**, 253
Naloxone, reversibility by of enkephalin epileptic properties, **147**, 327
Neck
activity
after stimulation of frontal oculomotor area, **149**, 295
unit discharges in oculomotor area associated with, **149**, 313
afferents, to hindlimb motoneurons, **149**, 235
muscles, dorsal, excitation of lumbar motoneurons by, **140**, 165
Neostriatum (see also Striatum)
activity changes in produced by amphetamine and methylphenidate, **150**, 353
afferent fibers in, **152**, 341
kainate-induced degeneration of neurons of, **139**, 381
receptor-linked cAMP systems in, **151**, 507
Nerve growth factor
axonal transport of, **159**, 411
blockage of vinblastine by, **141**, 105
effects of antibodies to on development of sympathetic ganglia, **148**, 264
effects of on catecholaminergic neurons, **144**, 277
in changes in protein secretion, **155**, 196
induction of phosphatidylinositol turnover by, **157**, 173
-mediated induction of tyrosine hydroxylase, **140**, 385; **159**, 436
pheochromocytoma-responsive cell line, **154**, 186
retrograde transport of, **139**, 160; **150**, 319
Nerve growth, intramuscular, stimuli to, **156**, 351
Nerve regeneration, effect of S-100 protein on, **143**, 179
Nerve, severed, activity in, **159**, 406
Nervous mutant, cerebellar glutamic acid in, **142**, 269
Neural assemblies, functionally related identification of, **140**, 43
Neurite
in explant culture, **142**, 531
regeneration, after laser microbeam irradiation, **148**, 478
Neuroblastoma
glioma hybrid, **147**, 245; **147**, 261
binding assay for opioid peptides with, **151**, 117
intracellular organization of cells of, **155**, 229
neuron-specific protein in, **145**, 49
substance P biosynthesis in, **147**, 405
Neurofilaments, comparison of with Alzheimer helical filaments, **142**, 321
Neurogenesis
in spinal cord, **159**, 1
tissue culture analysis of, **157**, 206
Neurohypophysis
hormones of
morphology of membrane changes during release of, **154**, 371
MSH release induction by fragments of, **149**, 516
hypothalamic innervation of, **157**, 364
Neuroleptic receptor sites, **151**, 149
Neurological tests, **143**, 299
Neuromuscular junction
effect of local anesthetic on regeneration of, **149**, 89
fine structure of, **144**, 213
theanine as glutamate antagonist at, **151**, 215
Neuromuscular transmission, in red and white muscles, **142**, 160
Neuronal inactivity, changed enzyme reactivity to DAB by, **141**, 185
Neurotensin, iontophoresis of in locus coeruleus, **150**, 431
Neurotoxicity
of halogenated amphetamines, **146**, 188
of lead, subcellular mechanisms of, **148**, 451
Neurotrophic control, of RNA synthesis in muscle, **151**, 561
Neurotrophic factor, spinal, **157**, 153
New Zealand mice, antibodies to cerebellar cells of, **142**, 477
Nicotine, neuroendocrine effects of, **157**, 73
Nictitating membrane response, conditioning of, **145**, 323
Nigrostriatal lesions
effects of on rotation in rats, **150**, 149
unilateral, motor assymmetry after, **159**, 211
Nigrotectal projections, **151**, 159
Nipecotic acid, inhibition of GABA uptake up, **153**, 623
Nitrous oxide
anesthesia, monoamine metabolism during, **157**, 303

suppression of cerebellar and collicular visual responses by, **148**, 526
Nociception
blockage of by fear, **141**, 371
cutaneous afferents in, **152**, 358
dorsal horn activation by, **152**, 196
effects of neurotransmitters on, **151**, 307
effects of opiates on, **145**, 303
effects of trigeminal n. lesions on, **157**, 147
neurotransmitter reduction of, **145**, 185
spinal influences on reflexes of, **155**, 91
Nodes of Ranvier
intramembranous particles at, **142**, 391
staining of, **144**, 1
Noise, detection and reduction in multiple unit recording systems, **143**, 186
Noradrenaline (see Norepinephrine)
Noradrenergic neuron function, impairment of after stress, **149**, 399
Noradrenergic pathway, locus coeruleus-cingulate, **154**, 61
Noradrenergic phenotype, in gut, **158**, 229
Noradrenergic receptors, effects of sodium on binding of agonists and antagonists to, **140**, 378
Noradrenergic synaptosomes, effect of neurotransmitter accumulation in, **159**, 402
Noradrenergic system
axonal transport of proteins in, **150**, 55
role of in locus coeruleus, **155**, 249
Norepinephrine (see also under Catecholamines)
alteration of levels of, **144**, 415
alteration of turnover rates of, **146**, 95
attenuation by of diethyldithiocarbamate-produced amnesia, **149**, 155
effect of enkephalins on, **146**, 392
effects of on brain–pituitary–ovarian function, **146**, 83
effects of on feeding, **141**, 119
effects of on LH secretion, **148**, 521
effects of on neuronal activity, **150**, 205
effects of on nociception, **145**, 185; **151**, 307
entry of into brain, **145**, 291
6-OHDA enhancement of, **148**, 245
innervation of neocortex by, **139**, 219
interaction of with guanine derivatives, **155**, 187
metabolite, release of after locus coeruleus stimulation, **141**, 380
N-methyltransferase, 7,8-dichloro-2,3,4,5-tetrahydro-1H-2-benzazepine hydrochloride inhibition of, **158**, 240
postdecapitation reflex and, **155**, 205
release, effect of α-latrotoxin on from cortex, **139**, 190
role of in attention, **159**, 421
self-stimulation behavior and, **155**, 277
spatial memory and, **156**, 382
stimulation of cAMP by, **152**, 521; **159**, 125
stress-induced depletion of, **152**, 170
synergistic action of with adenosine, **147**, 396
uptake properties of synaptic storage vesicles, **150**, 367
Nucleosides, axonal and transcellular transport of, **139**, 197
5′-Nucleotidase, glial localization of, **158**, 247
N. accumbens, self-stimulation behavior and **155**, 277
N. caudalis, neurons in, **139**, 333
N. gracilis, non-primary afferent terminals in, **146**, 358
N. isthmus, as relay station to optic tectum, **159**, 214
Nutrition, modulation by of mitral cell responses, **140**, 251
Nystagmus, vestibular
abducens n. and, **144**, 389
prepositus hypoglossi and, **144**, 395

O

Obesity, effects of hypothalamic colchicine on, **153**, 99
Ob/ob mice, hypothalamic LH-RH-like activity in, **146**, 385
Octopamine
actions of on dorsal horn neurons, **157**, 402
in Aplysia, **141**, 347
Octopus, nuclear DNA content in subesophageal lobe of, **154**, 134
Oculomotoneurons, in adult lamprey, **154**, 123
Oculomotor frontal area
stimulation of, **149**, 295
unit discharges in associated with eye and neck activity, **149**, 313
Oculomotor n.
projections from abducens n. to, **145**, 277
vestibular connections with, **148**, 31
Odor discrimination, by mitral cells, **142**, 123
Olfactory bulb
accessory, transneuronal transport in, **152**, 283; **152**, 303
carnosine binding in, **158**, 407
centrifugal influence on activity of, **154**, 301
cortical projection of, **151**, 369
direct projections of, **151**, 375
neurotransmitters in, **154**, 253
reciprocal synapse, **159**, 17
Olfactory modulation, of mitral cell responses, **140**, 251; **142**, 123
Olfactory nerve
axoplasmic transport in, **139**, 65; **139**, 77
spatial organization of projections of, **139**, 327
Olfactory neurons, secondary, rhythmic discharges of, **158**, 313
Olfactory pathway, effect of denervation of, **140**, 271
Oligodendrocytes, encephalitogenic properties of, **142**, 85
Onuf's n., electron microscopic study of, **156**, 333
Operant conditioning, of firing patterns of precentral neurons, **146**, 51
Opiates
analgesic actions of, **153**, 205
effects of on NA-stimulated cAMP formation, **152**, 521
effects of on respiratory neurons, **155**, 55
effects of on spinal cord neurons, **145**, 303

intra-amygdaloid, behavioral effects of, **153**, 211
receptors
binding, in limbic structures, **155**, 374
in dorsal root ganglia, **145**, 396
in striatum, **151**, 392
interaction of phencyclidines with, **152**, 176
withdrawal signs, **144**, 208
Opioid peptides
binding assay for, **151**, 117
effect of on dorsal horn network responses, **157**, 196
Oppossum
auditory midbrain of, **150**, 29
development of visual pathways in, **144**, 378
fascia dentata neurons in, **143**, 355
midbrain projections in, **145**, 355
retinal pathways in, **146**, 231
rubrospinal projections in, **143**, 61
Opsanus tau, discharges of afferents from labyrinth of, **150**, 182
Optic nerve
in anurans, **158**, 31
RNA in regeneration of, **156**, 141
Optic projections, accessory, **144**, 378
Optic system, accessory, in teleosts, **153**, 144
Optokinetic stimulation, parietal cortex activity and, **153**, 392
Orientation anisotropy, in visual cortex, **149**, 229
Orientation-selective inhibition, from beyond visual receptive field, **139**, 359
Organosum vasculosum laminæ terminalis
5-HT axon terminals in, **150**, 177
LH-RH content of, **157**, 157
reflex ovulation and, **154**, 209
Osmium–uranyl–lead (OUL)
cerebellar staining with, **147**, 1
synaptic contacts stained by, **157**, 321
Osmoreceptors, **141**, 89
input from to supraoptic neurons, **145**, 385
Ouabain, morphological changes in cortex produced by, **148**, 347
Ovarian hormones, effects of on responsiveness of preoptic neurons to releasing hormones, **149**, 511
Ovariectomy
effects of on cortical morphology, **154**, 53
effects of on DA turnover, **148**, 399
Ovulation
narcotic blockade of, **155**, 413
reflex, OVLT and, **154**, 209
Oxidative metabolism
during nitrous oxide anesthesia, **147**, 416
in recovery from electrical pulses, **152**, 365
Oxytocin
memory and, **157**, 414
neurons, firing patterns of during dehydration, **148**, 425
release of, adrenergic receptors and, **142**, 69

P

Pain (see also under Nociception)
modulation of, **155**, 91
thermal, **157**, 418
threshold to, **154**, 214
Paleostriatum, prosencephalic pathways related to, **147**, 205
Parabigeminal n.
collicular projections of, **145**, 365
visual response properties of, **145**, 375
Parafascicular n., lesions in, catalepsy produced by, **150**, 648
Paraplegia
induction of by 6-aminonicotinamide, **140**, 89
spinal substance P in, **153**, 507
Parasympathetic neurons, cerebellar influence on, **156**, 269
Parasympathetic innervation of urinary system **153**, 363
Parasympathetic preganglionic fibers to intestine, origin of, **151**, 571
Paraventricular n., diurnal changes in, **157**, 407
Peduncle lobe of *Sepia officinalis*, motor responses after stimulation of, **150**, 188
Penicillin
increased olfactory cortical neuron excitation by, **156**, 83
seizure induction by, **144**, 185
deoxyglucose study of, **150**, 487
effects of aminooxyacetic acid on, **157**, 311
kindling during, **150**, 503
Pentobarbitone, effects of on synaptic organization, **147**, 47
Pentylenetetrazol, enhancement of reticular neuronal responses to visual stimuli with, **150**, 418
Perca fluviatilis, visual receptive field in, **141**, 211
Perforant pathway, through entorhinal cortex, **147**, 422
Perfusion chamber, for studies in vitro, **152**, 591
Periaqueductal gray
afferents to, **146**, 205
effects of morphine in on activity of n. raphe magnus, **149**, 266
Perineal motor innervation, **140**, 149
Perioral reflex, sensitivity of to mechanical stretch, **146**, 159
Peripheral nerves
conduction in, **143**, 71
crush, central responses to, **151**, 581
effects of stimulation of on raphe, **153**, 169
polypeptides of myelin of, **144**, 303; **152**, 17
Permeability, brain water, sympathetic regulation of, **144**, 204
Phencyclidines, interaction of with CNS receptors, **152**, 176
Phenobarbital
anesthesia, monoamine metabolism during, **157**, 603
effects of on receptor binding, **156**, 391
Phenylethanolamine
in Aplysia, **141**, 347
-*N*-methyltransferase
activity of after stress, **153**, 419
effects of on catecholamines, **144**, 415
in hypertension, **159**, 149

Phenylketonuria, beneficial effect of isoleucine in, **154**, 191
Pheochromocytoma cell line (PC12), enzyme induction in, **154**, 186
Phosphatidylinositol turnover, NGF-induced, **157**, 173
Phosphofructokinase, effects of methionine suffoximine on activity of, **150**, 210
Phosphoglyceride fatty acids, **159**, 363
Phospholipid
axon myelin transfer of, **155**, 347
mitochondrial, effects of oxidation of, **158**, 423
Phosphoproteins, specific, localization of, **156**, 345
Phosphorylation, effects of sacrifice method on proteins of, **139**, 366
Photoreceptors
Limulus
recovery from adapting light in, **153**, 585
responses of, **156**, 157
retinal-induced sensitization of, **151**, 194
Phrenic motoneurons, respiratory gating of, **157**, 381
Picrotoxin
effects of on membrane conductance in, **141**, 364
effects of on somatosensory evoked potentials, **140**, 182
retinal sensitivity and, **148**, 530
Pike, olfactory nerve axoplasmic transport in, **139**, 65; **139**, 77
Pilo–Ruffini complex, **142**, 197
Pineal gland
circadian rhythms in dark-induced activities, **139**, 374
GFA protein in, **140**, 1
innervation of, **154**, 1
S-100 protein in, **140**, 1
Pineal nerve, fetal, **154**, 1
Pituitary
–adrenocortical system, activation of, hypothalamic electrical activity and, **156**, 67
hormone secretion
hypothalamic effects on, **157**, 73
pharmacological effects on, **156**, 198
–ovarian function, effects of NA on, **146**, 83
PGE in, **149**, 274
tract, antidromic compound potentials of, interaction of with bradykinin, **149**, 530
Placing movement, ventrolateral n. activity during, **149**, 329
Plasmalogens, during development, **159**, 351
Plasticity
control of, **140**, 197
hippocampal, **159**, 239; **159**, 458
neuronal, in limbic system, **145**, 323
Poly-L-ornithine
anterograde transport of HRP, enhancement by, **150**, 170
effects of on HRP uptake, **158**, 1
Polypterus, succinate dehydrogenase distribution in, **152**, 157
Pontine n.
basilar, sensorimotor cortex projections to, **145**, 347
effects of deafferentation of inputs to, **155**, 357
Pontine projection, to lateral cerebellar areas, **139**, 340
Ponto-interposito-rubrospinal pathway, for muscle contraction, **155**, 124
Posterior parietal lobe, effects of lesions of on visual search, **146**, 35
Post-synaptic potentials, latency–rise time relationship, **151**, 404
Post-tetanic potentiation, changes in, **157**, 33
Postural adjustment, ventrolateral n. activity during, **149**, 329
Postural control, visual contribution to rapid motor responses during, **150**, 403
Posture
basal ganglia responses to, **143**, 325
coordination of after cortical stimuli inducing flexion movements, **149**, 25; **149**, 39
Potassium
clearance of from extracellular space, **151**, 291
homeostasis of, **145**, 202
in mudpuppy retina, light-evoked changes in, **142**, 515
Potentiation, long-term, synaptic transmission required for initiation of, **150**, 413
Precentral neurons, operant conditioning of tonic firing patterns of, **146**, 51
Preoptic area (see also under Hypothalamus)
cultured, LH-RH neurons in, **149**, 257
effects of neurotransmitters in, **154**, 172
effects of on sexual behavior, **150**, 569
electrochemical stimulation of, **148**, 413
inhibition of pulsatile growth hormone secretion by, **148**, 240
morphological sex difference in, **148**, 333
neurons, responsiveness of to releasing hormones, **149**, 511
-septal neurons, responses of to histamine, **145**, 391
Prepositus hypoglossi, vestibular nystagmus and, **144**, 395
Presynaptic dendrites, GABA-specific in optic tectum, **149**, 104
Presynaptic receptors, on dopaminergic nerve terminals, **142**, 53
Presynaptic terminals, vesicles in sympathetic ganglia, **151**, 201
Pretectum, somatosensory projections to, **158**, 445
Progesterone
effects of on MAO activity, **158**, 397
effects of in ovariectomized rats, **154**, 345
Progestin binding, in brain and pituitary, sexual behavior and, **140**, 360
Prolactin
effects of hypothalamic deafferentation on, **148**, 121
effects of on DA turnover, **148**, 399
hypothalamic control of release of, **144**, 313; **148**, 121
inhibition of by GABAmimetic drugs, **145**, 173
release of, effects of GABA on, **155**, 35
responses of to 5-HT, **155**, 263

response to hypothalamic stimulation, **147**, 390
Prolidase, brain activity of, **153**, 79
L-Proline, amnesic potency of, **156**, 265
β-Proline, inhibition of GABA uptake by, **153**, 623
Prolyl-leucyl-glycinamide, effects of on α-methyl-para-tyrosine-induced catecholamine disappearance, **143**, 561
Propranolol, effects of on cerebral metabolism and blood flow, **151**, 220
Proprioceptors, knee joint, **156**, 51
Propriospinal fibers, cells of origin of, **152**, 429
Propriospinal projections, to brachial cord, **158**, 203
Prostaglandin E
in anterior pituitary, **149**, 274
in hypothalamus, **149**, 274
Protein
antisera to, effect of on retention of new behavior in goldfish, **148**, 441
axonal transport of, in noradrenergic system, **150**, 55
glial fibrillary acidic, **153**, 188
tubulin and, **145**, 196
in axoplasmic transport, **144**, 287
kinase, cGMP-dependent, cerebellar, **156**, 412
LETS, localization of, **158**, 149
neuron-specific, in neuroblastoma, **145**, 49
peripheral nervous system myelin, localization of, **152**, 17
S-100
effect of on nerve regeneration, **143**, 179
in glioma, **143**, 513
neurospecific, **142**, 97
pineal, **140**, 1
secretion, NGF-induced changes in, **155**, 196
synaptic plasma membrane, **147**, 201
synthesis
axonally transported, **159**, 427
developmental changes in, **154**, 95
in hypoglossal nerve, **141**, 67
in striatum, after kainic acid lesions, **146**, 195
transport, asymmetry of in bifurcating neurons, **139**, 354
Pseudorabies virus, effects of on sympathetic ganglia, **140**, 111
Puberty, effects of on hippocampal dendritic spines, **155**, 108
Pulvinar afferents, organization of to area 18, **143**, 155
Pulvinar-LP complex, hypothalamic projection to, **155**, 343
Purkinje cells
analysis of synaptic potentials in, **155**, 176
complex spikes in, in culture, **145**, 168
effects of methylazoxymethanol acetate on growth of, **143**, 499
effects of neurotransmitters on, **145**, 117
loss of during development, **154**, 219
Puromycin, inhibition of transneuronal transport by, **152**, 303
Putamen, thalamic fiber termination in, **140**, 333
Pyramidal tract, operant control of, **152**, 418; **157**, 257
Pyramidotomy
influence of on limb flexion movements, **149**, 39
projections after, **144**, 155
Pyruvate, brain concentrations of in hypertension, **152**, 189

R

Rana pipiens, brain concentrating cells in, **140**, 287
Raphe
afferents to, **144**, 257
analgesic electrical stimulation of, **146**, 404
dorsal, memory disruption by stimulation of, **155**, 380
effect of morphine in periaqueductal gray on activity in, **149**, 266
effects of stimulation of on nociception, **151**, 307
mediation of narcotic blockade of ovulation by, **155**, 413
projections
of neurons in, **147**, 149
retinal, **156**, 135
to substantia nigra, **151**, 431
serotoninergic nerves of, **153**, 169
Reaching, defects in after removal of posterior parietal cortex, **139**, 309
Red n.
activity in after n. interpositus lesions, **152**, 353
activity in during movement, **152**, 41; **152**, 65
activity in during scratching, **159**, 111
cerebellar terminals in, **147**, 17
effects of deafferentation of inputs to, **155**, 357
electrophysiological study of parvocellular neurons of, **149**, 239
spinal projections
after pyramidotomy, **144**, 155
in opossum, **143**, 61
Reeler mutant mouse, projections to dentate gyrus in, **150**, 447
Reflex
action, role of in damping mechanical oscillations, **142**, 439
activity of regenerating spinal neurons, **158**, 331
baroceptor, **151**, 323
bradycardia, inhibition of by stimulation of motor cortex, **150**, 198
cardioinhibitory, potentiation of, **154**, 331
contralateral reversal, **144**, 411
cutaneous, pathways to motoneurons, phasic gain control of transmission in, **149**, 503
gamma efferent activity in, effects of D-amphetamine on, **143**, 387
in Jimpy mutant, **151**, 225
late, facilitation of in voluntary movement, **153**, 176
lateral column-ventral root, habituating, effects of Ca^{2+} and Mg^{2+} on, **139**, 183
ocular following, after visual pattern deprivation, **141**, 77

pathways from neck afferents to hindlimb, **149**, 235
perioral, sensitivity of to mechanical stretch, **146**, 159
postdecapitation, **155**, 205
pupillary light, pathway subserving, **156**, 255
spinal
discharge into cardiac sympathetic nerves, **142**, 425
effects of vibration on, **157**, 369
pathways, **139**, 21
stretch
responses during falling, **142**, 576
role of muscle spindle afferents in, **146**, 366
tonic vibration
excitation contribution from skin receptors, **150**, 194
in lip, **151**, 409
transcortical, **159**, 463
trigeminal, presynaptic inhibition of, **143**, 369
vibration, role of muscle spindle afferents in, **146**, 366
Regeneration
effect of a conditioning lesion on, **152**, 597
in sciatic nerve, **156**, 213
of central pathway after lesions, **147**, 223
of identified molluscan neurons, **156**, 322
of neuromuscular junction, effects of local anesthetic on, **149**, 89
of optic nerve fibers, **153**, 345
reflexes and, **158**, 331
Regenerating axons, interactions with foreign axons in axolotl muscle, **146**, 172
Relay n., sensory, lateral orbital cortex projections to, **144**, 149
Releasing hormones, responsiveness to of proptic neurons, **149**, 511
Renin–angiotensin system, peptide antagonists of, **153**, 319
Renin, tetradecapeptide substrate, dipsogenic action of, **157**, 63
Renshaw cells, effects of neurotransmitters on, **141**, 129
Reserpine
effect of antiparkinsonian drugs on rigidity induced by, **140**, 177
effects of LH-RH-containing nerve fibers, **152**, 401
Respiratory activity, in spinal cats, **157**, 376
Respiratory gating, of phrenic motoneurons, **157**, 381
Respiratory neurons, effects of opiates on, **155**, 55
Respiratory pumping, in Aplysia, **143**, 87
Reticular formation, pontine, inputs to, **147**, 177
Reticular neurons
lateral, activity in during scratching, **151**, 479
vestibular nystagmus and, **144**, 395
Reticularis gigantocellularis n.
afferents to, **144**, 257
effects of on spinothalamic tract neurons, **153**, 163
Reticularis pontis caudalis n., afferents to, **144**, 257
Retina
amino acid actions on spiked discharges in, **148**, 67
amino acid levels in, **159**, 137
cell responses in to sinusoidal flicker, **142**, 41
cholinergic system of, **148**, 85; **148**, 493
collicular pathways of, **148**, 189; **159**, 396
dopaminergic systems in, **155**, 391
effects of GABA and picrotoxin on sensitivity of, **148**, 530
efferents to, **153**, 340
GABA mediation in, **145**, 97
ganglion cells in
death of during development, **150**, 398
gain of surround mechanism of, **156**, 360
parameters of, **153**, 157
glycoproteins in, **152**, 379
horizontal cell effects in, **148**, 95
induction of sensitization of photoreceptors in, **151**, 194
intracellular double staining in, **144**, 164
lateral geniculate responses to stimulation of, **152**, 81
lateral inhibition in X and Y cells of, **143**, 538
light-evoked potassium activity in, **154**, 388
in mudpuppy, **142**, 515
muscarinic cholinergic receptors in, **148**, 493
neurites in, **142**, 531
neuronal, effects of 5-bromodeoxyuridine on development of, **150**, 543
pathways from
postnatal development of, **146**, 231
to hypothalamus, **144**, 378
projections
in lizards, **142**, 401
in *Xenopus laevis*, **148**, 202
to lateral geniculate body, **142**, 343
to midbrain raphe, **156**, 135
spectral interactions in cells of, **150**, 239
tectal projections of after early lesions, **147**, 277
uptake of taurine by, **151**, 604
X and Y cells of, **143**, 459; **143**, 538
Xenopus, ontogeny of transmitter synthesis during development of, **140**, 368
Retinocerebellar pathway, bisynaptic, in turtle, **150**, 163
Retinotectal connections, formation of in fetal explants, **148**, 484
Retrieval, effects of inferotemporal lesions on, **146**, 341
Retrograde transport
of HRP
histochemical demonstration of, **148**, 279
in carotid body, **149**, 477
in carp diencephalon, **149**, 211
of NGF, **139**, 160; **150**, 319
Reward
catecholamine theories of, **152**, 215
dorsal noradrenergic bundle and, **150**, 135
Rhythmical slow activity, effects of granule cell agenesis on, **146**, 249
Rhythmic spiking, secondary range, in hippocampal neurons, **149**, 247
RNA

axonal migration of in regenerating optic fibers, **154**, 285
requirement for in optic nerve regeneration, **156**, 141
synthesis
in muscle, neurotrophic control of, **151**, 561
in tyrosine hydroxylase induction, **159**, 436
Rotation
effect of *p*-chloroamphetamine on, **149**, 453
effect of 5,7-dihydroxytryptamine on, **149**, 453
nocturnal, correlation with amphetamine-induced, **150**, 149
Rubrospinal, see Red n.
Russell's viper, venom of, **144**, 194
Ruthenium red
effects of on cholinergic synapses, **152**, 633
GABA release after, **154**, 163

S

Saccades
collicular coupling of neuronal activity with, **156**, 1
induction by frontal eyelid stimulation, **146**, 23
Saccular nerve, stimulation of vestibular neurons by, **143**, 251
Sacrifice method, effect of on specific brain proteins, **139**, 366
Sciatic nerve
lesions of, effects of on amino acid incorporation into spinal cord and brain, **139**, 249
regeneration in, **141**, 21; **156**, 213
Scratching
descending tract activity in, **159**, 99; **159**, 111
spinocerebellar pathways involved in, **151**, 479; **151**, 493
SDS gel electrophoresis, study of axoplasmic transported proteins by, **139**, 77
Secondary range, repetitive firing, **146**, 69
Seizures (see also under Epilepsy), kindled myoclonic, relationship with DA metabolism, **150**, 424
Self-stimulation
catecholamine n. stimulated induction of, **152**, 529
hypothalamic–pituitary responses to, **157**, 89
Semicircular canal, cupular movement in, **157**, 11
Sensorimotor cortex, projections to basilar pontine n., **145**, 347
Sensorimotor neurons, influences on, **158**, 223
Sensory neurons, infrared, in Crotalidae, **142**, 338
Sepia officinalis, motor responses after stimulation of peduncle lobe in, **150**, 188
Septal-hippocampal pathway, modulation of ACh turnover in, **150**, 333
Septo-epithalamo-habenular LH-RH reactive neurons, **151**, 183
Septum
effects of ACh on neuronal activity in, **150**, 205
effects of NA on neuronal activity in, **150**, 205
effects of TRH on neuronal activity in, **150**, 205
midline, corticothalamic projection involving, **139**, 348
neuronal plasticity in, **156**, 293
Serine, uptake of, **152**, 105
Serotonin
adenylate cyclase stimulation by, **153**, 636; **154**, 404
ascending projection, role of in chlorimipramine inhibition of muricide, **149**, 270
axon terminals of in OVLT, **150**, 177
binding protein
interaction of with morphine, **149**, 519
purification of, **146**, 141
5,7-dihydroxytryptamine-induced supersensitivity to, **159**, 183
disruption of memory and, **155**, 380
distribution of in substantia nigra, **139**, 164
effects of on locomotor activity, **143**, 373
effects of on nociception, **151**, 307
neurotoxins, effects of on nigrostriatal dopamine, **152**, 555
pineal, circadian rhythms in activity of, **139**, 374
reduction of nociceptive responses by, **145**, 185
release in substantia nigra, **139**, 164
self-stimulation behavior and, **155**, 277
uptake, comparison of in platelets and synaptosomes, **146**, 400
Serotoninergic B9 cells, effects of halogenated amphetamines on, **146**, 188
Serotoninergic neurons
interaction of with cholinergic neurons, **151**, 73
of raphe, **153**, 169
Serotoninergic pathways, effects of on striatal DOPA accumulation, **142**, 505
Serotoninergic terminals
DA uptake in, **147**, 29
in locus coeruleus, **145**, 1
in spinal cord, **153**, 449
in suprachiasmatic and interpeduncular n., **149**, 482
Sex difference, morphological, in medial preoptic area, **148**, 333
Sexual dimorphism, in hypothalamic adenylate cyclase activity, **151**, 615
Sexual receptivity, hypothalamic influences on, **159**, 451
Sialic acid, involvement of in neurotransmission, **152**, 633
SIF cells, in superior cervical ganglion, **148**, 469; **156**, 75
Sinusoidal flicker, retinal cell responses to, **142**, 41
Skin
receptors, excitation from in contribution to tonic vibration reflex, **150**, 194
temperature discrimination, effects of morphine on, **156**, 206
Sleep
effects of deprivation of, **152**, 97
limbic-hypothalamic influences in, **151**, 255
Sodium
detectors for in CSF, **141**, 89
effects of on binding of α-noradrenergic agonists and antagonists, **140**, 378

glutamate, effects of on supraoptic neurons, **154**, 159
Soleus, effect of tenotomy on motor innervation of, **143**, 162
Solitary tract n.
catecholaminergic axons in, **151**, 323
limbic projections from, **153**, 1
Somatosensory evoked potentials, effects of intracaudate injection of carbachol and picrotoxin on, **140**, 182
Somatosensory projections
to pretectum, **158**, 445
to superior colliculus, **142**, 223
Somatostatin
breakdown of by cathepsin D, **143**, 181
depressant actions of, **152**, 196
effect of on monoamine turnover, **155**, 159
effect of on sensorimotor neurons, **153**, 414
inhibition of myenteric neurons by, **155**, 165
in intestinal neurons, **155**, 239
Sound intensity, role of hair cells in coding, **147**, 174
SP-111, effects of on neuronal activity, **139**, 263
Spatial discrimination, hippocampal connections and, **139**, 295
Spatial location, discrimination of, **145**, 315
Spatial reversal tasks, single unit activity during, **149**, 53
Spatial summation, from unmyelinated afferent fibers, **153**, 596
Spectral interactions, in retinal cells, **150**, 239
Spike triggered averaging, extracellular, for plotting synaptic projections, **140**, 344
Spinal cord
blood flow in, measurement of, **149**, 197
choline acetyltransferase in, **146**, 221
cultured neurons of, **152**, 265
descending pathways in, in chicken, **145**, 380
dorsal columns in operant control of pyramidal tract, **157**, 257
effects of anesthesia on active zones in, **159**, 247
effects of stimulation of urinary bladder afferents on transmission in, **156**, 375
embryonic development of, **141**, 197
ependymal cell junctional complexes in, **143**, 27; **143**, 43
habituating reflex in, in frog, **139**, 183
lumbar
neurotransmitter distribution in, **152**, 386
rubrospinal projections to, **143**, 61
marginal neurons of, **139**, 1
morphine action in, **148**, 163
neurogenesis in, **159**, 1
neurons in, in Sternarchus, **142**, 559
neurotransmitter release in, **158**, 159
neurotrophic factor in, **157**, 153
nodes of Ranvier in, **142**, 391
plasma membranes of neurons of, **159**, 41
projections from Edinger–Westphal n., **150**, 1
receptor populations involved in analgesia, **148**, 516
serotoninergic terminals in, **153**, 449
substance P in, **153**, 507
Spinal myelopathy, induction by subarachnoid batrachotoxin, **140**, 75
Spindle primary endings, effects on of stimulation of gamma axons, **151**, 593
Spinocerebellar tract
axon collaterals from, **142**, 147
input organization of, **157**, 341
involved in scratching, **151**, 479; **151**, 493
Spinofacial pathway, cells of origin of, **142**, 580
Spinoreticular neurons, responses during repetitive stimulation, **148**, 365
Spinothalamic neurons, influences from n. reticularis gigantocellularis on, **153**, 163
Spinothalamic tract, projections to thalamic n., **157**, 336
Spiral ganglion cells, after hair loss, **158**, 279
Split-brain, lateral hypothalamic syndrome and, **151**, 632
Spontaneous hypertension, cardiovascular alteration by n. locus coeruleus in, **140**, 137
Sprouting, catalytic effect of serial lesions on, **150**, 45
Squint, induced modification of callosal connections, **144**, 169
Staggered mutant
cerebellar glutamic acid in, **142**, 269
Purkinje cell dendritic tree in, **142**, 135
Stapedius muscle, motoneurons serving, **143**, 437
Statocyst, Aplysia, ciliary beating in, **156**, 369
Sternarchus albifrons
junctional complexes of, **143**, 27; **143**, 43
spinal cord neurons of, **142**, 559
Steroid hormone-concentrating cells, in *Rana pipiens*, **140**, 287
Steroid sulfatase, in glioma, **143**, 513
Stimulation
depolarization of inferior mesenteric ganglion neurons after, **140**, 231
repetitive, responses in spinoreticular neurons during, **148**, 365
Stress
absence of glucoprivic feeding after, **149**, 399
effects of on catecholamines, **144**, 173; **144**, 415
growth hormone response to, **148**, 129
induction of NA depletion by, **152**, 170
PNMT elevation after, **153**, 419
reversal of drug-induced anorexia by, **143**, 580
Stretch, electromagnetic of muscle, **141**, 193
Stria terminalis
enkephalin in amygdaloid efferents in, **149**, 223
substance P in, **149**, 97
Striato-entopeduncular fibers, **143**, 125
Striatonigral fibers, **143**, 125
Striatopallidal fibers, **143**, 125
Striatum
Ca^{2+}-dependent regulator protein in, **155**, 130
cell recordings from, **142**, 357
cholinergic receptors in, **152**, 620
consequences of kainic acid injections in, **151**, 523
control of DA release from, **157**, 391
DA metabolism in, effects of nigral substance P, **159**, 223

DOPA carboxylation in, **152**, 369
effects of kainic acid lesions in, **148**, 219; **149**, 546; **151**, 523; **152**, 620; **152**, 626; **155**, 313
GAD, after lesions of nigrostriatal pathway, **143**, 168
interaction between serotoninergic and cholinergic neurons in, **151**, 73
learning and memory after kainic acid lesions in, **149**, 546
modulation of DRL activity from, **153**, 529
modulation of hypothalamus from **153**, 515
ontogeny of nigral neurons to, **142**, 566
opiate receptors in, **151**, 392
pathways in, **152**, 487
PGE_2-sensitive adenylate cyclase in, **150**, 441
protein changes in after kainic acid lesions, **146**, 195
response to apomorphine in, **155**, 45
stimulation of dopamine release by GABA in, **139**, 115
study of nigral projections from, **143**, 361
substance P distribution in, **143**, 556
synaptic receptors in kainate-lesioned, **140**, 340
Stroke, experimental, **158**, 435
Strychnine, binding of in spinal cord, **143**, 487; **147**, 107
Subependymal neurons
aminergic innervation to, **142**, 353
catecholaminergic, **142**, 165
Subfornical organ
angiotensin-receptive neurons in, **149**, 107
vasopressin in, **140**, 241
Submandibular ganglion cells, dopamine-β-hydroxylase in, **151**, 206
Substance P
behavioral effects of, **158**, 474
biosynthesis of, **147**, 405
breakdown of by cathepsin D, **143**, 181
capsaicin-induced depletion of, **152**, 183
dipsogenic action of, **150**, 533
distribution of in striatum, **143**, 556
dopaminergic systems and, **155**, 404
effect of on interpeduncular neuronal activity, **144**, 404
in amygdaloid complex, **149**, 97
in ansa lenticularis, **156**, 124
in basal ganglia, **152**, 487
in intestinal neurons, **155**, 239
in projections from the habenula, **149**, 413
in spinal cord, **153**, 507
in stria terminalis and bed n., **149**, 97
in trigeminal system, **152**, 499
nigral
amnesia and, **159**, 468
effects of on DA metabolism, **159**, 223
release of, **151**, 469
Substantia gelatinosa, presynaptic GABAergic terminals in **141**, 35
Substantia nigra
activity-dependent GABA changes in, **156**, 181
antidromic identification of output neurons from, **150**, 69
DA neurons in, **154**, 401
DA release from, **145**, 69
after cerebellar stimulation, **148**, 143
effects of ethanolamine-O-sulfate in, **153**, 387
on behavior, **146**, 313
effects of stimulation of on thalamic neurons, **145**, 27
effects of substance P in, **158**, 474
on striatal DA metabolism, **159**, 223
excitatory projection from subthalamic n., **151**, 235
GABA connections of, **158**, 15
GABA turnover in, **155**, 147
localization of enzymes in, **149**, 431
6-OHDA lesions of, **151**, 339
organization of connections from to tectum, **143**, 339
projections from raphe, **151**, 431
release and distribution of 5-HT in, **139**, 164
role of dopaminergic receptors in, **145**, 180
substance P-induced amnesia in, **159**, 468
substance P interaction with dopaminergic systems in, **155**, 404
substance P release from, **151**, 469
synaptic modulation of thalamus from, **154**, 137
tyrosine hydroxylase in neurons of, **144**, 325
Subthalamic n.
excitatory nigral projection from, **151**, 235
GAD in, **153**, 370
output organization of, **157**, 21
Succinate dehydrogenase, correlation with telencephalic afferents, **152**, 157
Sucrose, cerebrovascular permeability to in absence of blood–brain barrier, **150**, 653
Sulcus, superior temporal, afferents and architectonics of, **149**, 1
Sulpiride, effects of on LH-RH-containing nerve fibers, **152**, 401
Superior cervical ganglion
ACh in, **151**, 443
adrenergic terminals and SIF cells in, **148**, 469
catecholamines in, **156**, 75
NGF action in, **157**, 173
thiamine-depleted ACh turnover in, **151**, 609
Superior colliculus
afferents to, **146**, 205
cells of rostral projections from, **143**, 445
conduction velocities of afferent input to, **140**, 155
corticofugal pathway to, **151**, 457
directional selectivity of, **147**, 188
effects of intraocular colchicine on, **159**, 243
effects of lesions of
on detection of visual stimuli, **156**, 33
on motor asymmetry, **159**, 211
on visual acuity, **156**, 17
on visual search, **146**, 35
effects of nitrous oxide on, **148**, 526
efferent pathways in *Galago senegalensis*, **146**, 351
neuronal functional properties in, **156**, 1
projection on dorsal lateral geniculate n., **150**, 593

projections to, **142**, 223
projection upon inferior olivary complex, **144**, 369
responses in to auditory stimuli, **156**, 321
response of to noxious stimuli, **158**, 65
satellite system of, **145**, 365
Superior laryngeal nerve, phrenic motoneuron responses to, **157**, 381
Suprachiasmatic n.
growth hormone secretory rhythms and, **151**, 413
serotoninergic terminals in, **149**, 482
Supraoptic neurons
comparison of activity of with other hypothalamic neurons, **149**, 347
effects of neurotransmitters on, **154**, 159
inputs to, **145**, 385
Supraoptic n.
diurnal changes in, **157**, 407
synchronous bursting discharges in, **151**, 245
Sympathetic cell column, synaptogenesis in, **144**, 241
Sympathetic ganglia
effects of NGF antibodies on development of, **148**, 264
effects of pseudorabies virus, **140**, 111
GABA action in, **153**, 398
interneurons of, **148**, 389
muscarinic receptor binding in, **143**, 573
NGF-mediated induction of tyrosine hydroxylase in, **140**, 385
vesicles with presynaptic terminals of, **151**, 201
Sympathetic innervation
in tissue grafts in oculo, **139**, 233
of urinary system, **153**, 363
Sympathetic nerves, cardiac, spinal reflex discharge into, **142**, 425
Sympathetic nervous system
destruction of by vinblastine, **141**, 105
enzyme activity in activation of, **156**, 192
Sympathetic neurons
axonal transport in, **152**, 151
α-bungarotoxin receptors on, **154**, 83
cyclic nucleotides in, **158**, 197
effects of mitogenic factors in, **159**, 195
preganglionic, origin of, **144**, 353
Sympathetic n., degeneration in after lesions, **139**, 153
Sympathetic pathway, intraspinal, **144**, 358
Sympathetic regulation, of brain water permeability, **144**, 204
Synapse
C, modification of, **145**, 141
formation
in cultured cortical neurons, **149**, 279
in tissue culture, **145**, 15
Synaptic densities, on motoneurons, **150**, 617
Synaptic drive, model for patterns of, **150**, 259
Synaptic membranes, biosynthesis of, **147**, 201
Synaptic potentiation processes, impairment of in aged, memory-deficient rats, **150**, 85
Synaptic projections, extracellular spike triggered averaging for plotting, **140**, 344
Synaptic transmission, requirement of for initiation of long-term potentiation, **150**, 413
Synaptogenesis
in somatosensory cortex, **150**, 467
in sympathetic column, **144**, 241
Synaptosomes
effect of neurotransmitter accumulation on buoyant densities of, **159**, 402
enzyme activities in, **141**, 305
vesicular fusion with ACh release, **154**, 409

T

Taste
cell response characteristics to, **152**, 586
reactivity test of, **143**, 263; **143**, 281
Taurine
cerebellar levels of, **156**, 202
circadian periodicity of, **143**, 383
effects of on Purkinje cells, **145**, 117
morphine-induced alterations in, **148**, 163
spinal distribution of, **152**, 386
uptake of by retina, **151**, 604
Tectogeniculate axons, interlaminar distribution of, **150**, 593
Tectum
ascending projections in *Gekko Gecko*, **147**, 353
denervated, deflection of optic fibers into, **155**, 213
interneurons in, **148**, 1
neurons of, effect of moving background patterns on responses of, **151**, 599
optic
AChE in, **157**, 182
amino acid levels in, **159**, 137
distribution of RNA in, **154**, 285
GABA-specific presynaptic dendrites in, **149**, 204
n. isthmus as relay station to, **159**, 214
regeneration in, **153**, 345
role of glutamate in, **157**, 360
visual receptive field of perch, **141**, 211
organization of nigral connection to, **143**, 339
prey acquisition in absence of, **153**, 217
projections to, **156**, 117
from retina, **147**, 277; **156**, 141
spinal, **141**, 335
Tegmental bundle, dorsal, lesions of, changes in NA after, **155**, 205
Telencephalon, afferents of in carp diencephalon, **149**, 211
Temperature discrimination, in skin, effects of morphine on, **156**, 206
Temporodentate pathways, habituation-like decrements in transmission in, **151**, 623
Tenotomy, effect of on motor innervation of soleus, **143**, 162
Testosterone, intracerebral, independent masculinization by, **146**, 325
Tetanus toxin, cell surface marker, **148**, 251
Tetrahydrocannabinol, derivative of, effect of on neuronal activity, **139**, 263
Tetrodotoxin, inhabition of antidiuretic hormone

release by, **151**, 424
Tfm mutant, androgen receptor from, **140**, 159
Thalamus
afferents from to limbic cortex, **145**, 225
cortical projections to in Tupaia, **153**, 333
distribution of projections in from cortex, **154**, 359
effect of substantia nigra stimulation on, **145**, 27
excitatory amino acid receptors in, action of D-α-aminoadipate on, **149**, 541
mediodorsal n., cortical projections of, **141**, 251
morphine action in, **148**, 163
nuclei of, projections from spinothalamic tract to, **157**, 336
projections from to parietal lobe, **144**, 143
pulvinar connections of, **147**, 139
spinal projections to, **141**, 335
synaptic modulation from basal ganglia, **154**, 137
synaptic terminals in, **155**, 362
termination of fibers from in putamen, **140**, 333
ventrobasal complex of, comparison of with cuneate n., **158**, 450
ventrolateral, evoked response activity in, **144**, 159
visual nuclei in, in lizard, **149**, 469
Theanine, glutamate antagonist action of, **151**, 215
Thiamine, depletion of in superior cervical ganglion, **151**, 609
Thirst
angiotensin-induced, **149**, 117
sensors for, **141**, 89
Thy-1 antigen, in brain cell lines, **153**, 109
Thy-1.2 differentiation alloantigen, characterization of, **159**, 161
Thyroidectomy, effects of on neurotransmitter turnover, **146**, 95
Thyroid hormones, effect of on development of cerebellum, **142**, 25
Thyrotrophin
diurnal rhythm of, **141**, 283
-releasing hormone
effects of 6-OHDA on, **152**, 203
effects of on neuronal activity, **150**, 205
immunoreactive, non-identify of with synthetic TRH, **151**, 99
ontogenesis of in hypothalamus, **154**, 382
Tissue grafts, in oculo, **139**, 233
Toadfish, discharges of afferents from labyrinth of, **150**, 182
Tolerance, to β-endorphin, by endogenous systems, **156**, 396
Tone, insular cortical responses to, **145**, 161
Tooth-pulp, primary afferents from, **158**, 303
Torticollis, produced by 6-OHDA lesions, **149**, 488
Transcellular transport, of nucleosides, **139**, 197
Transition metal ions, effect of on gustatory response, **142**, 570
Trichosorus vulpecula, auditory midbrain of, **150**, 29
Tricyclic antidepressant, multiple binding sites of, **149**, 525
Trigeminal motoneurons, masticatory rhythm in, **148**, 504
Trigeminal motor n., metamorphosis in lampreys and, **140**, 33
Trigeminal nerve, ascending projections of, **156**, 110
Trigeminal n.
antinociceptive effects of lesions of, **157**, 147
influences of on entopeduncular units, **141**, 211
inputs from to cerebellum, **153**, 352
inputs onto interpositus n., **156**, 355
interneuron discharge patterns of, **148**, 234
synapse development in, **143**, 421
Trigeminal system, substance P in, **152**, 499
Trochlear nerve, development of, **142**, 455
Tubulin
comparison with glial fibrillary acidic protein, **145**, 196; **153**, 188
in neuroblastoma cells, **155**, 229
synthesis of in visual cortex development, **142**, 374
Tupaia belangeri, functions of frontal cortex in, **145**, 147
Tupaia glis
mapping of striate cortex of, **142**, 538
thalamic connections of, **153**, 333
Turtle, bisynaptic retinocerebellar pathway in, **150**, 163
Twitch muscle fibers, synaptic efficacy along, **158**, 235
Tyrosine
amnesic effects of, **139**, 384
hydroxylase
in amygdala, **153**, 423
in nigral DA neurons, **144**, 325
in response to sympathetic activation, **156**, 192
kinetic properties of, **146**, 95
localization of, **156**, 315
NGF induction of, **159**, 436
reversible reduction of, **149**, 141

U

Undernutrition
effects of on cerebellum, **157**, 202
effects of on glial maturation, **149**, 379
Unit activity, effects of steroids on, **142**, 187
Unmyelinated fibers
hippocampal, **144**, 11
spatial summation from, **153**, 596
Urinary bladder, innervation of, **153**, 363

V

Vagal efferent activity, atrial stretch and, **150**, 51
Vagal neurons, vagotomized, lipid accumulation i **140**, 349
Vagus, dorsal motor n. of, **147**, 79
Vagus nerve, cardiac innervation by, **147**, 65

Vascular permeability, after brain injury, **153**, 223
Vasoactive intestinal polypeptide
in intestinal neurons, **155**, 239
potassium-evoked release, **143**, 174
vesicular localization of, **143**, 174
Vasopressin
effects of on conversion of tyrosine to catecholamines, **139**, 131
innervation by of median eminence, **155**, 153
in subfornical organ, **140**, 241
memory and, **157**, 414
neurons, firing patterns of during dehydration, **148**, 425
osmotic stimulation of release of, **151**, 424
regulation of brain water permeability by, **143**, 191
Venom
mechanisms of action of, **143**, 107
Russell's viper, **144**, 194
Ventricle
fourth, nerve endings in choroid plexus of, **153**, 285
third, effects of obstruction of on angiotensin-induced thirst, **149**, 117
Ventrolateral n., activity in during placing and postural adjustment, **149**, 329
Vermis, cortico-nuclear projections of, **141**, 1
Vesicles
numbers of, after stimulation of neuromuscular junctions, effect of choline-O-acetyltransferase inhibitor on, **150**, 277
synaptic storage of, norepinephrine uptake properties, **150**, 367
Vesiculin, identification of, **153**, 408
Vestibular deficits, compensation of, **147**, 183
Vestibular efferent nerve, development of, **142**, 333
Vestibular inputs, to reticular formation, **147**, 177
Vestibular neurons
effects on of stimulation of saccular nerve, **143**, 251
identification of, **155**, 103
Vestibular n.
connections from to oculomotor n., **148**, 31
projections to cerebellum, **142**, 142
Vestibular responses type III, of cerebellar Purkinje cells, mechanism for, **150**, 295
Vestibular stimulation, parietal cortex activity and, **153**, 392
Vestibulo-occular reflex, adaptive modification of, **150**, 611
Vestibulospinal neurons, activity in during scratching, **159**, 99
Vibrissae, SMI somatotopic map after removal of, **155**, 136
Vinblastine, sympathetic destruction by, **141**, 105
Visceral afferent projections, to dorsal column n., **150**, 408
Vision
extrageniculostriate, **152**, 422
pattern, ocular following reflex after deprivation of, **141**, 77
Visual acuity, effects of collicular lesions on, **156**, 17
Visual contribution, to postural control, **150**, 403
Visual control, effect of on triceps stretch responses, **142**, 576
Visual corticopontine input into paraflocculus, **143**, 139
Visual deprivation, **158**, 45; **158**, 456
Visual field
cortical representation of in newborn, **153**, 27
of monocularly deprived cats, **145**, 153
Visual inputs, to reticular formation, **147**, 177
Visual learning, effects of cycloheximide on, **158**, 479
Visual nuclei, in thalamus of lizard, **149**, 469
Visual pathway, electrical stimulation of, EEG correlates of, **154**, 105
Visual projections, to superior colliculus, **142**, 223
Visual receptive field, orientation-selective inhibition from beyond, **139**, 359
Visual relays, hyperstriatal projections to, **153**, 382
Visual responses, effect of nitrous oxide on, **148**, 526
Visual response properties, in parabigeminal n., **145**, 375
Visual search, effects of lesions on, **146**, 35
Visual stimuli
detection of after collicular lesions, **156**, 33
enhancement of responses of mesencephalic reticular neurons to, **150**, 418
geniculate n. responses to, **153**, 591
Visual system, lack of blue OFF-center cells in monkey, **141**, 385
Visual units, extrastriate properties of in cortex, **149**, 365
Vitamin B6 deficiency, effect of on 2′,3′-cyclic nucleotide 3′-phosphorylase, **146**, 200
Voltammetry, of DA metabolites, **159**, 55
Vomeronasal nerve, replacement of receptor neurons after section of, **147**, 297
Vomeronasal organ, cell division in, **141**, 57

W

Waltzing guinea pig, cochlear n. of, **158**, 279; **158**, 295
Water permeability in brain, regulation by vasopressin, **143**, 191
WD 4101, binding of, **159**, 125
Weaver mutant
antiserum from, **148**, 269
cerebellar glutamic acid in, **142**, 269
Purkinje cell dendritic tree in, **142**, 135
Wheat germ agglutinin, as a retrograde tracer, **152**, 145

X

X cells, retinal, **143**, 459
effect of monocular lid suture on, **157**, 346
lateral inhibition in, **143**, 538
Xenopus laevis, retinal projection in, **148**, 202

Y

Y cells, retinal, **143**, 459
lateral inhibition in, **143**, 538

Z

Zinc sulfate, intranasal, effect of on behavior, biochemistry and morphology, **140**, 271

The form of literature references to books should be: author, initials, title of book, publisher and city, year and page number referred to. (See example 1 below.)

References to authors contributing to multi-author books or to proceedings printed in book-form should be similar to those for books. (See example 3 below.)

Examples:

1 Adams, C. W. M., *Neurohistochemistry*, Elsevier, Amsterdam, 1965, 67 pp.
2 Chin, J., Killam, E. V. and Killam, K. F., Factors affecting sensory input in the cat: modification of evoked auditory potentials by reticular formation, *Electroenceph. clin. Neurophysiol.*, 18 (1965) 567–574.
3 Hernández Peón, R., Central neuro-humoral transmission in sleep and wakefulness. In K. Akert, C. Bally and J. P. Schadé (Eds.), *Sleep Mechanisms, Progress in Brain Research, Vol. 18*, Elsevier, Amsterdam, 1975, pp. 96–117.

This journal should be cited in list of references as *Brain Research.*

Illustrations. All illustrations must be submitted in quadruplicate and reach the editors in a form and condition suitable for reproduction. The illustrations should bear the author's name and be numbered in Arabic numbers according to the sequence of their appearance in the text, where they are to be referred to as Fig. 1, Fig. 2 etc.
Line-drawings should be in Indian ink on drawing or tracing paper. Lettering should be clear and of adequate size to be legible after reduction. Professional labelling is preferable but, if this is not possible, lettering should be in fine pencil.
Photographs, including roentgenograms, electroencephalograms, and electron micrographs should be supplied as clear black and white prints on glossy paper, usually larger than the final size of reproduction, but not more than 20 × 25 cm.
The degree of reduction will be determined by the publisher, but in general it should be assumed that the same degree of reduction will be applied to all figures in the same paper.
Reproduction in colours will have to be approved by the Editors. The extra costs of colour reproduction will be charged to the author(s).
Each illustration must have a legend. These should be typed with double spacing on a separate page and begin with the number of the illustration they refer to.

Tables. Table of numerical data should each be typed (also with double spacing) on a separate page, numbered in sequence in Roman numerals (Table I, II, etc.), provided with a heading, and referred to in the text as Table I, Table II, etc.

Proofs. Authors should keep a carbon copy of their manuscripts as proofs will be sent to them without manuscript. Proofs will usually be drawn on lower-quality paper. Only printer's errors may be corrected; no change in, or additions to, the edited manuscript will be allowed at this stage.

Reprints. A total of 50 reprints of each paper will be provided free of charge to the author(s). Additional copies can be ordered at prices shown on the reprint order form which will be sent to the author with the proofs.

COPYRIGHT

Submission to this journal of a paper entails the author's irrevocable and exclusive authorization of the publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17, paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.
Permission to reproduce, in whole or in part, any material published in this Journal must be sought from the publisher and from the author of the article in question.
Submission of a paper to **Brain Research** is understood to imply that it has not previously been published (except in abstract form) and that it is not being considered for publication elsewhere.
If illustrations or other small parts of articles or books already published elsewhere are used in papers submitted to **Brain Research,** the written permission of author and publisher concerned must be included with the manuscript. The original source must be indicated in the legend of the illustration in these cases.

SUBSCRIPTIONS

Issues (7½″ × 10½″) will appear weekly and be contained in 23 volumes per year. The subscription price is Dfl. 144.00 per volume (excl. postage) or U.S. $ 70.25 per volume (excl. postage).

Subscription orders should be addressed to: ELSEVIER/NORTH-HOLLAND BIOMEDICAL PRESS
P.O. Box 211
1000 AE Amsterdam — The Netherlands

Additional charges for air-mail delivery are available from the Publishers upon request.

ADVERTISEMENTS

Advertisement rates are available from the Publisher upon request. It should be noted that all advertisements are subject to approval by the Editors of the Journal.

COPYRIGHT © 1980 BY ELSEVIER/NORTH-HOLLAND BIOMEDICAL PRESS, AMSTERDAM
PRINTED IN THE NETHERLANDS

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without permission in writing from the publisher.

LIBRARY USE ONLY